

DIN EN ISO 16638-2:2022-10 (E)

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds (ISO 16638-2:2019)

Contents	Page
European foreword	3
Foreword	4
Introduction	5
1 Scope	6
2 Normative references	7
3 Terms and definitions	7
4 Symbols and abbreviated terms	9
4.1 Symbols	9
4.2 Abbreviated terms	10
5 Purpose and need for monitoring programmes	10
6 General aspects	12
7 Special monitoring programmes	13
8 Task-related monitoring programmes for individual monitoring	13
9 Reference values as performance criteria for laboratories	13
10 Quality assurance and quality control for bioassay laboratories	14
11 Procedure for the assessment of exposures	15
11.1 Assessment of individual monitoring data	15
11.2 Properties of a software tool	15
11.3 Uncertainties	16
11.4 Quality assurance of the assessment process	16
12 Reporting and documentation	17
12.1 Reporting results for in vitro measurements	17
12.2 Documentation of the dose assessment	17
Annex A (informative) Nuclear data of U-238 and U-235 decay	19
Annex B (informative) Default classification of uranium compounds	20
Annex C (informative) Measurement techniques for uranium in case of ingestion	21
Annex D (informative) Excretion rates for ingestion of uranium compounds	24
Annex E (informative) Committed effective dose per unit intake after ingestion of uranium compounds	26
Annex F (informative) Estimation of uncertainties for internal dose assessments after ingestion	27
Annex G (informative) A-deviations	30
Bibliography	31