

DIN EN ISO 16638-2:2022-10 (E)

Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds (ISO 16638-2:2019)

| Contents | Page |
|--|-------------|
| European foreword | 3 |
| Foreword | 4 |
| Introduction | 5 |
| 1 Scope | 6 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 7 |
| 4 Symbols and abbreviated terms | 9 |
| 4.1 Symbols | 9 |
| 4.2 Abbreviated terms | 10 |
| 5 Purpose and need for monitoring programmes | 10 |
| 6 General aspects | 12 |
| 7 Special monitoring programmes | 13 |
| 8 Task-related monitoring programmes for individual monitoring | 13 |
| 9 Reference values as performance criteria for laboratories | 13 |
| 10 Quality assurance and quality control for bioassay laboratories | 14 |
| 11 Procedure for the assessment of exposures | 15 |
| 11.1 Assessment of individual monitoring data | 15 |
| 11.2 Properties of a software tool | 15 |
| 11.3 Uncertainties | 16 |
| 11.4 Quality assurance of the assessment process | 16 |
| 12 Reporting and documentation | 17 |
| 12.1 Reporting results for in vitro measurements | 17 |
| 12.2 Documentation of the dose assessment | 17 |
| Annex A (informative) Nuclear data of U-238 and U-235 decay | 19 |
| Annex B (informative) Default classification of uranium compounds | 20 |
| Annex C (informative) Measurement techniques for uranium in case of ingestion | 21 |
| Annex D (informative) Excretion rates for ingestion of uranium compounds | 24 |
| Annex E (informative) Committed effective dose per unit intake after ingestion of uranium compounds | 26 |
| Annex F (informative) Estimation of uncertainties for internal dose assessments after ingestion | 27 |
| Annex G (informative) A-deviations | 30 |
| Bibliography | 31 |