

ISO 23588:2023-02 (E)

Radiological protection - General requirements for proficiency tests for in vivo radiobioassay

| Contents | | Page |
|-----------------------|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Planning | 2 |
| 4.1 | Determination of the type of proficiency test | 2 |
| 4.2 | Choice of measurement tasks | 3 |
| 4.3 | Selection of radionuclides | 3 |
| 4.4 | Selection of activity ranges | 3 |
| 4.5 | Choice of phantom | 4 |
| 4.6 | Announcement of the proficiency test | 4 |
| 5 | Preparation of phantoms and sources | 5 |
| 5.1 | Preparation of phantoms | 5 |
| 5.2 | Preparation of sources | 5 |
| 5.3 | Quality assurance | 5 |
| 6 | Conducting the proficiency test | 5 |
| 6.1 | General | 5 |
| 6.2 | Preparation of the phantom at the participant's facility | 6 |
| 6.3 | Measurement of the phantom by the participants | 6 |
| 6.4 | Reporting protocol | 6 |
| 7 | Data analysis and evaluation of results | 7 |
| 7.1 | General | 7 |
| 7.2 | Determination of the assigned value | 7 |
| 7.3 | Calculation of the performance scores | 8 |
| 7.4 | Report | 8 |
| Annex A (informative) | Example schedule for a proficiency test | 9 |
| Annex B (informative) | Example measurement tasks | 10 |
| Annex C (normative) | MTL for in vivo radiobioassay performance testing | 11 |
| Annex D (informative) | Examples of phantoms | 12 |
| Bibliography | | 13 |