

# ISO 20553:2025-01 (E)

## Radiation protection - Monitoring of workers occupationally exposed to a risk of internal contamination with radioactive material

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Symbols and abbreviated terms .....	6
5	Purpose and need for monitoring programmes .....	6
5.1	General aspects .....	6
5.2	Types of monitoring .....	7
5.2.1	Workplace monitoring .....	7
5.2.2	Individual monitoring .....	7
5.3	Categories of monitoring programmes .....	7
5.3.1	Routine monitoring programme .....	7
5.3.2	Special monitoring programme .....	8
5.3.3	Task-related monitoring programme .....	8
5.3.4	Confirmatory monitoring programme .....	8
6	Designing a routine monitoring programme .....	8
6.1	General requirements .....	8
6.2	Routine individual monitoring .....	9
6.2.1	General .....	9
6.2.2	Methods .....	9
6.2.3	Determining the frequency of monitoring .....	9
6.2.4	Methods and time intervals for commonly encountered radionuclides .....	11
6.2.5	Tolerances for monitoring intervals .....	16
6.3	Routine workplace monitoring .....	16
7	Designing a special monitoring programme .....	17
7.1	Special individual monitoring .....	17
7.1.1	General .....	17
7.1.2	In vivo measurements and in vitro analyses .....	17
7.1.3	Other techniques .....	17
7.2	Special workplace monitoring .....	18
8	Designing a task-related monitoring programme .....	18
9	Designing a confirmatory monitoring programme .....	18
10	Individual monitoring in specific cases .....	18
10.1	Monitoring of nuclear medicine and radiopharmacy staff exposed to short-lived radionuclides .....	18
10.2	Intakes of actinides .....	19
10.3	Intake via a wound .....	19
10.4	Intake through the intact skin .....	19

<b>11</b>	<b>Investigation levels .....</b>	<b>19</b>
<b>12</b>	<b>Recording, documentation and reporting .....</b>	<b>20</b>
<b>12.1</b>	<b>Recording and documentation .....</b>	<b>20</b>
<b>12.1.1</b>	<b>General .....</b>	<b>20</b>
<b>12.1.2</b>	<b>Samples .....</b>	<b>20</b>
<b>12.1.3</b>	<b>Measurements .....</b>	<b>20</b>
<b>12.1.4</b>	<b>Dose assessment .....</b>	<b>21</b>
<b>12.2</b>	<b>Reporting .....</b>	<b>21</b>
<b>12.2.1</b>	<b>Routine monitoring programmes .....</b>	<b>21</b>
<b>12.2.2</b>	<b>Special monitoring programmes .....</b>	<b>22</b>
<b>12.2.3</b>	<b>Worker information .....</b>	<b>22</b>
<b>13</b>	<b>Quality management .....</b>	<b>22</b>
<b>Annex A (informative)</b>	<b>Techniques and detection limits of in vitro bioassay or in vivo measurements selected to calculate routine monitoring time intervals for the radionuclides considered in Tables 1, 2, 3 and 4 .....</b>	<b>23</b>
<b>Annex B (informative)</b>	<b>Recommended methods for special monitoring programmes after inhalation .....</b>	<b>25</b>
<b>Bibliography .....</b>		<b>27</b>