

DIN EN 13480-3:2017-12 (E)

Metallic industrial piping - Part 3: Design and calculation

Contents

Page

European foreword.....	10
1 Scope.....	12
2 Normative references.....	12
3 Terms, definitions, symbols and units	13
3.1 Terms and definitions	13
3.2 Symbols and units	13
4 Basic design criteria.....	15
4.1 General.....	15
4.2 Loadings	15
4.2.1 General.....	15
4.2.2 Combination of loads	16
4.2.3 Loads for dimensioning	16
4.2.4 Other loads to be taken into account	18
4.2.5 Design conditions.....	19
4.3 Thickness	22
4.4 Tolerances	25
4.5 Joint coefficient.....	25
4.6 Dimensioning of piping components subject to pressure	26
5 Design stresses.....	26
5.1 General.....	26
5.2 Time-independent nominal design stress	27
5.2.1 Steels other than austenitic steels	27
5.2.2 Austenitic steels.....	27
5.2.3 Nickel and / or chromium alloy steels.....	28
5.2.4 Steels castings.....	28
5.2.5 Additional requirements for steels with no specific control.....	28
5.3 Time-dependent nominal design stress	29
5.3.1 General.....	29
5.3.2 Steels	29
5.3.3 Nickel and/or chromium alloy steels.....	30
6 Design of piping components under internal pressure	30
6.1 Straight pipes.....	30
6.2 Pipe bends and elbows.....	30
6.2.1 General.....	30
6.2.2 Symbols.....	31
6.2.3 Required wall thicknesses	31
6.3 Mitre bends.....	32
6.3.1 General.....	32
6.3.2 Symbols.....	32
6.3.3 Effective radius of mitre bend	33
6.3.4 Multiple mitre bends	33
6.3.5 Single mitre bends	34

6.3.6	Adjacent straight pipe sections of mitre bends	34
6.4	Reducers	34
6.4.1	Conditions of applicability	34
6.4.2	Specific definitions	35
6.4.3	Specific symbols and abbreviations	35
6.4.4	Conical shells	36
6.4.5	Junctions - general	37
6.4.6	Junction between the large end of a cone and a cylinder without a knuckle	37
6.4.7	Junction between the large end of a cone and a cylinder with a knuckle	40
6.4.8	Junction between the small end of a cone and a cylinder	41
6.4.9	Offset reducers	43
6.4.10	Special forged reducers	43
6.5	Flexible piping components	44
6.5.1	General	44
6.5.2	Expansion joints	44
6.5.3	Corrugated metal hose assemblies	46
6.6	Bolted flange connections	47
6.6.1	General	47
6.6.2	Symbols	47
6.6.3	Standard flange	47
6.6.4	Non-standard flange	48
7	Design of ends under internal pressure	48
7.1	Dished ends	48
7.1.1	Symbols	48
7.1.2	Hemispherical ends	49
7.1.3	Torispherical ends	50
7.1.4	Ellipsoidal ends	51
7.1.5	Calculation of β	52
7.2	Circular flat ends	56
7.2.1	General	56
7.2.2	Symbols	56
7.2.3	Unstayed flat circular ends welded to cylindrical shells/pipes	58
7.2.4	Unstayed flat circular bolted ends	65
7.2.5	Reinforcements of openings in unstayed flat ends	71
8	Openings and branch connections	74
8.1	General	74
8.2	Symbols	74
8.3	Limitations	75
8.3.1	Thickness ratio	75
8.3.2	Openings in the vicinity of discontinuities	77
8.3.3	Types of reinforcement	79
8.3.4	Calculation method	80
8.3.5	Elliptical openings and oblique branch connections	80
8.3.6	Reinforcing pads	82
8.3.7	Dissimilar material of shell and reinforcements	82
8.3.8	Extruded outlets	82
8.3.9	Forged tee	82
8.3.10	Branches in bends or elbows	83
8.3.11	Screwed-in branches	83
8.4	Isolated openings	84
8.4.1	General	84
8.4.2	Unreinforced openings	87

8.4.3	Reinforced openings with $d_i/D_i < 0,8$	87
8.4.4	Reinforced single openings with $0,8 < d/D \leq 1,0$	93
8.5	Adjacent openings.....	93
8.5.1	Unreinforced openings.....	93
8.5.2	Reinforced openings with $d/D \leq 0,8$	93
8.6	Design of special piping components.....	94
8.6.1	Cylindrical Y-pieces	94
8.6.2	Spherical Y-pieces	95
8.6.3	Triform reinforced branches	96
9	Design of piping components under external pressure.....	97
9.1	General.....	97
9.2	Symbols and elastic stress limits.....	99
9.2.1	Symbols.....	99
9.2.2	Elastic stress limits	101
9.3	Cylindrical pipes, elbows and mitre bends.....	101
9.3.1	Determination of lengths	101
9.3.2	Interstiffener collapse	103
9.3.3	Overall collapse of stiffened pipes	105
9.3.4	Stiffener stability.....	106
9.3.5	Heating/cooling channels	109
9.4	Reducers (conical shells)	110
9.5	Dished ends	112
9.5.1	Hemispherical ends.....	112
9.5.2	Torispherical ends	113
9.5.3	Ellipsoidal ends.....	113
10	Design for cyclic loading.....	113
10.1	General.....	113
10.2	Exemption from detailed fatigue analysis	113
10.3	Fatigue design for cyclic pressure.....	114
10.3.1	Equivalent full load cycles.....	114
10.3.2	Simplified fatigue analysis.....	114
10.4	Fatigue design for thermal gradients	129
10.4.1	General.....	129
10.4.2	Design guidance	129
10.5	Fatigue design for combined loads	130
11	Integral attachments.....	130
11.1	General.....	130
11.2	Allowable stresses	130
11.3	Symbols.....	131
11.4	Hollow circular attachments.....	133
11.4.1	Limitations.....	133
11.4.2	Preliminary calculations	133
11.4.3	Analysis of attachments welded to pipe with a full penetration weld	135
11.4.4	Analysis of attachments welded to pipe with fillet or partial penetration weld	136
11.5	Rectangular attachments	136
11.5.1	Limitations.....	136
11.5.2	Preliminary calculations	136
11.5.3	Analysis of attachments welded to pipe with a full penetration weld	138
11.5.4	Analysis of attachments welded to pipe with fillet or partial penetration weld	139
11.6	Stress analysis of the run pipe	139
11.7	Shear stress analysis in attachment	141

11.7.1 Hollow circular attachments	141
11.7.2 Rectangular attachments.....	141
11.8 Alternative calculation methods.....	141
12 Flexibility analysis and acceptance criteria.....	141
12.1 Basic conditions	141
12.1.1 General	141
12.1.2 Loading conditions.....	142
12.1.3 Allowable stresses.....	142
12.2 Piping flexibility.....	144
12.2.1 General	144
12.2.2 Basic conditions	144
12.2.3 Displacement strains.....	144
12.2.4 Displacement stresses	145
12.2.5 Stress range	146
12.2.6 Cold pull	146
12.2.7 Properties for flexibility analysis	147
12.2.8 Supporting conditions	147
12.2.9 Expansion joints.....	149
12.2.10Flexibility analysis.....	149
12.3 Flexibility analysis	151
12.3.1 General	151
12.3.2 Stress due to sustained loads	152
12.3.3 Stress due to sustained and occasional or exceptional loads.....	152
12.3.4 Stress range due to thermal expansion and alternating loads	153
12.3.5 Additional conditions for the creep range.....	154
12.3.6 Stresses due to a single non-repeated support movement	154
12.3.7 Determination of resultant moments	155
12.3.8 Alternative method for stress calculation	157
12.3.9 Reactions	157
12.4 Fatigue analysis.....	157
12.5 Vibration.....	157
13 Pipe Supports	158
13.1 General requirements.....	158
13.1.1 General	158
13.1.2 Classification of supports.....	158
13.1.3 Additional definitions	159
13.1.4 Boundaries	161
13.1.5 Pipe supports welded to the pipe	163
13.2 Selection of pipe supports	164
13.2.1 General	164
13.2.2 Detail design of pipe supports	165
13.2.3 Support location.....	166
13.3 Constant hangers/base mounted (pedestal) constant supports.....	166
13.3.1 General	166
13.3.2 Load deviation from calibrated load	166
13.3.3 Site adjustment of the calibrated load	166
13.3.4 Travel reserve (Overtravel).....	166
13.3.5 Blocking.....	167
13.3.6 Identification Marking/Name plate	167
13.4 Variable load spring hangers and base mounted (pedestal) variable load spring supports	167
13.4.1 General	167

13.4.2 Tolerance on spring rate	168
13.4.3 Travel reserve (Overtravel)	168
13.4.4 Blocking.....	168
13.4.5 Name plate	168
13.5 Rigid struts	169
13.6 Shock arrestors (shock absorber, snubber).....	169
13.7 Sliding supports.....	170
13.8 Anchors.....	170
13.9 Documentation of supports.....	170
13.10 Marking of supports.....	170
13.11 Manufacturing of pipe supports	170
13.11.1Material requirements	170
13.11.2Design temperatures for support components	171
13.11.3Design details.....	172
13.11.4Determination of component sizes	173
13.11.5Welded connections	174
13.11.6Threaded connections	176
13.11.7Additional requirements on springs	177
13.11.8Design details for rigid struts	177
13.11.9Design details for shock arrestors (shock absorbers, snubbers)	178
13.11.10Design details for shock arrestors (shock absorbers, snubbers).....	179
Annex A (informative) Dynamic analysis	180
A.1 General.....	180
A.2 Analysis by calculation.....	180
A.2.1 Seismic events	180
A.2.2 Rapid valve closure	184
A.2.3 Flow induced vibration	187
A.2.4 Safety valve discharge	189
A.2.5 Allowable stresses	192
A.3 Alternative means of design verification.....	192
A.3.1 Comparative studies	192
A.3.2 Full scale testing	192
A.3.3 Reduced scale testing	192
Annex B (normative) More accurate calculation of bends and elbows	193
B.1 General.....	193
B.2 Symbols and units	193
B.3 Required wall thickness	194
B.4 Calculation	195
B.4.1 Calculation of wall thickness.....	195
B.4.2 Stress calculation	197
Annex C (informative) Expansion joints	201
C.1 Incorporation of expansion joints into piping systems.....	201
C.1.1 General.....	201
C.1.2 Types of expansion joints.....	202
C.1.3 Design of expansion joints	202
C.1.4 Designing with expansion joints.....	203
C.1.5 Analyses and calculation	205
C.1.6 Cold pull.....	206
C.2 Maximum spacing for unrestrained axially compensated straight runs.....	206
C.2.1 General.....	206
C.2.2 Calculation rules.....	206

C.2.3	Maximum spacing for defined conditions	207
C.3	Indication for the design of expansion joints	209
C.3.1	General	209
C.3.2	Information for the system analyst.....	209
	Annex D (normative) Flanges.....	210
D.1	Purpose	210
D.2	Specific terms and definitions.....	210
D.3	Specific symbols and abbreviations.....	211
D.4	General	212
D.4.1	Introduction	212
D.4.2	Use of standard flanges without calculation.....	212
D.4.3	Bolting.....	213
D.4.4	Flange construction	215
D.4.5	Machining	215
D.4.6	Gaskets	215
D.5	Narrow face gasketed flanges	216
D.5.1	General	216
D.5.2	Bolt loads and areas.....	219
D.5.3	Flange moments	220
D.5.4	Flange stresses and stress limits.....	220
D.5.5	Narrow face flanges subject to external pressure	226
D.5.6	Lap joints	226
D.5.7	Split ring flanges	229
D.6	Full face flanges with soft ring type gaskets	230
D.6.1	Specific symbols and abbreviations.....	231
D.6.2	Bolt loads and areas.....	231
D.6.3	Flange design.....	232
D.6.4	Full face flanges subject to external pressure.....	233
D.7	Seal welded flanges	233
D.8	Reverse narrow face flanges.....	234
D.8.1	Internal pressure.....	234
D.8.2	External pressure	236
D.9	Reverse full face flanges	236
D.9.1	General	236
D.9.2	Design following method of D.5.....	236
D.9.3	Design following method of D.6.....	238
D.10	Full face flanges with metal to metal contact	240
D.10.1	General	240
D.10.2	Specific symbols and abbreviations.....	240
D.10.3	Design	241
	Annex E (normative) Design of branch connections in piping accessories	243
E.1	Scope	243
E.1.1	General	243
E.2	Reinforcement	245
E.2.1	Angles and areas	245
E.2.2	The following condition shall be satisfied:.....	245
E.3	Flexibility analysis	246
	Annex F (informative) Testing during operation in the case of cyclic loading.....	248
F.1	Testing during operation.....	248
F.2	Measures to be taken when the calculated fatigue life has been reached	248
	Annex G (informative) Physical properties of steels	250

G.1	General.....	250
G.2	Physical properties.....	250
G.2.1	Density	250
G.2.2	Differential coefficient of linear expansion	251
G.2.3	Specific thermal capacity.....	251
G.2.4	Thermal diffusivity	251
G.2.5	Poisson's ratio	251
G.3	Physical properties of steels	251
Annex H (normative) Flexibility characteristics, flexibility and stress intensification factors and section moduli of piping components and geometrical discontinuities.....		257
Annex I (informative) Production testing of spring supports and shock arrestors (shock absorbers)		267
I.1	Constant load supports	267
I.2	Variable spring supports.....	267
I.3	Shock arrestors	267
Annex J (normative) Type testing of support components		272
Annex K (informative) Attachment of supports to structures		274
K.1	Attachment of supports to concrete structures	274
K.2	Attachment to metallic structures	275
K.2.1	Standard bolts	275
K.2.2	Friction grip bolts	275
K.2.3	Welding.....	275
Annex L (informative) Buckling of linear type supports		276
L.1	General.....	276
L.2	Symbols.....	276
L.3	Basic formulae	277
L.4	Allowable compressive stress	277
L.5	Buckling length	278
Annex M (informative) Design guidance for structural components		280
M.1	Linear type components subjected to bending	280
M.1.1	General.....	280
M.1.2	Supplementary verifications for linear type supports	280
M.2	Stability of plate type supports	282
M.3	Anchorage plates or equivalent anchorage components	282
M.3.1	General.....	282
M.3.2	Design of simple anchorage plates	282
M.3.3	Fixing plates with stiffening gussets	283
M.3.4	Load calculations for anchorages fixed in concrete	283
Annex N (normative) Documentation of supports		284
Annex O (normative) Alternative method for checking branch connections		286
O.1	Scope	286
O.2	Symbols.....	286
O.3	Design and checking of the branch connection	288
O.3.1	Limit value for the load due to pressure only for straight pipes without opening	288
O.3.2	Determination of the minimum thicknesses under loading due to pressure only	289
O.3.3	Checking of the thicknesses selected for the combination of pressure loading and loadings due to external loads	289
Annex P (informative) Recommended gaskets for industrial piping		340

Annex Q (informative) Simplified pipe stress analysis	342
Q.1 General	342
Q.2 Simplified procedure.....	342
Q.2.1 General	342
Q.2.2 Specification of allowable spacing of supports.....	342
Q.2.3 Check of elasticity.....	342
Q.3 Explanatory notes for Table Q.1.....	344
Q.4 Symbols	346
Q.5 Indices f_L.....	346
Q.6 Explanatory notes to Q.2.2	347
Q.6.1 Specification of allowable spacing of supports.....	347
Q.7 Conversion of the allowable lengths.....	348
Q.7.1 Other support conditions	348
Q.7.2 Other parameters	348
Q.8 Additional single loads	349
Q.8.1 General	349
Q.9 Explanatory note on Figure Q.2	352
Q.9.1 General	352
Q.9.2 Required pipe leg length L_1, for f_1 from the nomogram.....	354
Q.9.3 Required pipe leg length L_2, for f_2 from the nomogram	354
Annex Y (informative) History of EN 13480-3.....	359
Y.1 Differences between EN 13480-3:2012 and EN 13480-3:2017.....	359
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/68/EU aimed to be covered	361
Bibliography	362