

# ISO 4289:2023-02 (E)

## High velocity oxygen fuel (HVOF) cermet coatings for metallurgical roll components - Guidance with requirements

---

<b>Contents</b>		<b>Page</b>
Foreword.....		iv
Introduction.....		v
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Normative references</b> .....	<b>1</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>1</b>
<b>4</b>	<b>Recommended HVOF cermet coating materials for various metallurgical rollers</b> .....	<b>2</b>
<b>5</b>	<b>Preparation of HVOF cermet coatings for various metallurgical rollers</b> .....	<b>2</b>
5.1	Pre-treatment of various metallurgical components.....	2
5.2	HVOF spraying.....	3
5.3	Post-process of HVOF sprayed coatings.....	3
<b>6</b>	<b>Coating quality and performance evaluation</b> .....	<b>3</b>
6.1	General.....	3
6.2	Coating quality.....	3
6.3	Performance evaluation of coatings.....	4
6.3.1	Thickness.....	4
6.3.2	Surface roughness.....	5
6.3.3	Bonding strength.....	5
6.3.4	Porosity.....	5
6.3.5	Microhardness.....	5
6.3.6	Friction and wear test.....	6
6.4	Sealing treatment of coatings.....	9
<b>Bibliography</b> .....		<b>11</b>