ISO 8124-1:2014-12 (E)

Safety of toys - Part 1: Safety aspects related to mechanical and physical properties

Contents

Page

Foreword vii

Introduction viii

1 Scope 1

2 Normative references 3

3 Termsanddefinitions 3

4 Requirements 13
4.1 Normal use 13
4.2 Reasonably foreseeable abuse 13
4.3 Material 13
4.3.1 Material quality 13
4.3.2 Expanding materials 13
4.4 Small parts 13
4.4.1 For children under 36 months 14
4.4.2 For children 36 months and over but under 72 months 14
4.5 Shape, size and strength of certain toys 14
4.5.1 Squeeze toys, rattles, fasteners, and certain other toys and components of toys.14 4.5.2 Small balls 17
4.5.3 Pompoms 18
4.5.4 Pre-school play figures 18
4.5.5 Toy pacifiers 18
4.5.6 Balloons 19
4.5.7 Marbles 19
4.5.8 Hemispheric-shaped toys 19
4.6 Edges 22
4.6.1 Accessible sharp edges of glass or metal 22
4.6.2 Functional sharp edges 22
4.6.3 Edges on metal toys 23
4.6.4 Edges on moulded toys 23
4.6.5 Edges on exposed bolts or threaded rods 23
4.7 Points 23
4.7.1 Accessible sharp points 23
4.7.2 Functional sharp points 23
4.7.3 Wooden toys 24
4.8 Projections 24
4.8.1 General requirements 24
4.8.2 Special considerations for bath toy projections 24
4.9 Metal wires and rods 24
4.10 Plastic film or plastic bags in packaging and in toys 25
4.11 Cords and elastics 26
4.11.1 Cords and elastics in toys intended for children under 18 months 26
4.11.2 Self-retracting pull cords in toys intended for children under 18 months 26
4.11.3 Cords for pull toys intended for children under 36 months 26
4.11.4 Cords on toy bags 26
4.11.5 Crib or playpen toys and mobiles 26
4.11.6 Crib gyms and similar toys 26
4.11.7 Cords, strings and lines for flying toys 26
4.12 Folding mechanisms 27

4.12.1 Toy pushchairs, perambulators and similar toys 27
4.12.2 Other toys with folding mechanisms 28
4.12.3 Hinge-line clearance 28
4.13 Holes, clearances and accessibility of mechanisms 28
4.13.1 Circular holes in rigid materials 28
4.13.2 Accessible clearances for movable segments 29
4.13.3 Chains or belts in ride-on toys 29
4.13.4 Other driving mechanisms 30
4.13.5 Winding keys 30
4.14 Springs 30
4.15 Stability and overload requirements 31
4.15.1 Stability of ride-on toys and seats 31
4.15.2 Overload requirements for ride-on toys and seats 31
4.15.3 Stability of stationary floor toys 31
4.16 Enclosures 32
4.16.1 Ventilation 32
4.16.2 Closures 32
4.16.3 Toys that enclose the head 33
4.17 Simulated protective equipment, such as helmets, hats and goggles 33
4.18 Projectile toys 33
4.18.1 General 33
4.18.2 Projectiles 34
4.18.3 Projectile toys with stored energy 36
4.18.4 Projectile toys without stored energy 38
4.19 Rotors and propellers 39
4.20 Aquatic toys 40
4.21 Braking 40
4.22 Toy bicycles 40
4.22.1 Instructions for use 41
4.22.2 Determination of maximum saddle height 41
4.22.3 Braking requirements 41
4.23 Speed limitation of electrically driven ride-on toys 42
4.24 Toys containing a heat source 42
4.25 Liquid-filled toys 42
4.26 Mouth-actuated toys 42
4.27 Toy roller skates, toy inline skates and toy skateboards 43
4.28 Percussion caps 43
4.29 Acoustic requirements 43
4.30 Toy scooters 44
4.30.1 General 44
4.30.2 Warnings and instructions for use 44
4.30.3 Strength 44
4.30.4 Stability 44
4.30.5 Adjustable and folding steering tubes and handlebars 44
4.30.6 Braking 45
4.30.7 Wheel size 45
4.30.8 Protruding parts 45
4.31 Magnets and magnetic components 45
4.31.1 Magnetic/electrical experimental sets intended for children 8 years and over 45
4.31.2 All other toys with magnets and magnetic components 45

5 Test methods 46
5.1 General 46
5.2 Small parts test 47
5.3 Test for shape and size of certain toys 48
5.4 Small balls test 49
5.5 Test for pompoms 50
5.6 Test for pre-school play figures 50
5.7 Accessibility of a part or component 50
5.7.1 Principle 50
5.7.2 Apparatus 51
5.7.3 Procedure 51

5.8 Sharp-edge test 52
5.8.1 Principle 52
5.8.2 Apparatus 52
5.8.3 Procedure 53
5.9 Sharp-point test 54
5.9.1 Principle 54
5.9.2 Apparatus 54
5.9.3 Procedure 55
5.10 Determination of thickness of plastic film and sheeting 55
5.10.1 General 55
5.10.2 Apparatus 55
5.10.3 Procedure 55
5.11 Test for cords 56
5.11.1 Determination of cord thickness 56
5.11.2 Self-retracting pull cords 56
5.11.3 Electric resistance of cords 56
5.12 Stability and overload tests 56
5.12.1 General 56
5.12.2 Sideways stability test, feet available for stabilization 56
5.12.3 Sideways stability test, feet unavailable for stabilization 57
5.12.4 Fore and aft stability test 57
5.12.5 Overload test for ride-on toys and seats 58
5.12.6 Stability test of stationary floor toys 58
5.13 Test for closures and toy chest lids 58
5.13.1 Closures 58
5.13.2 Toy chest lids 58
5.14 Impact test for toys that cover the face 59
5.15 Kinetic energy and wall impact test 59
5.15.1 Kinetic energy of projectiles 59
5.15.2 Wall impact test for projectiles 62
5.16 Free-wheeling facility and brake performance test 62
5.16.1 Determination of free-wheeling facility 62
5.16.2 Brake performance for mechanically or electrically powered ride-on toys other than toy bicycles 63
5.16.3 Brake performance for toy bicycles 63
5.17 Determination of speed of electrically driven ride-on toys 63
5.18 Determination of temperature increases 64
5.19 Leakage of liquid-filled toys 64
5.20 Durability of mouth-actuated toys 64
5.21 Expanding materials 64
5.22 Folding or sliding mechanisms 65
5.22.1 Loads 65
5.22.2 Toy pushchairs and perambulators 65
5.22.3 Other toys with folding mechanisms 66
5.23 Washable toys 66
5.24 Reasonably foreseeable abuse tests 66
5.24.1 General 66
5.24.2 Drop test 67
5.24.3 Tip-over test for large and bulky toys 67
5.24.4 Dynamic strength test for wheeled ride-on toys other than toy scooters 67
5.24.5 Torque test 67
5.24.6 Tension test 68
5.24.7 Compression test 71
5.24.8 Flexure test 71
5.25 Determination of sound pressure levels 72
5.25.1 Installation and mounting conditions 72
5.25.2 Measurement procedure 73
5.26 Static strength for toy scooters 77
5.27 Dynamic strength for toy scooters 78
5.27.1 Principle 78
5.27.2 Load 78
5.27.3 Procedure 79

5.28 Brake performance for toy scooters 80
5.28.1 Toy scooters with handbrake 80
5.28.2 Toy scooters with foot brake 81
5.29 Strength of toy scooter steering tubes 81
5.29.1 Resistance to downward forces 81
5.29.2 Resistance to upward forces 82
5.30 Resistance to separation of handlebar 82
5.31 Tension test for magnets 83
5.31.1 Principle 83
5.31.2 Toys with magnets or magnetic components 83
5.31.3 Toys that contain one magnet only and a mating metal component 84
5.31.4 Toys that contain one magnet only and no mating metal component 84
5.32 Magnetic flux index 84
5.32.1 General 84
5.32.2 Principle 84
5.32.3 Apparatus 84
5.32.4 Procedure 84
5.32.5 Calculation of magnetic flux index 85
5.33 Impact test for magnets 85
5.34 Soaking test for magnets 85
5.35 Determination of projectile range 86
5.36 Tip assessment of rigid projectiles 87
5.37 Length of suction cup projectiles 87

Annex A (informative) Age-grading guidelines 89

Annex B (informative) Safety-labelling guidelines and manufacturer's markings 92

Annex C (informative) Design guidelines for toys attached to cribs or playpens 98

Annex D (informative) Toy gun marking 99

Annex E (informative) Rationale 100

Annex F (informative) Bath toy projection design guidelines 119

Bibliography 120