

DIN EN 71-8:2018-03 (E)

Safety of toys - Part 8: Activity toys for domestic use

Contents		Page
	European foreword	5
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Requirements	11
4.1	General (see A.2)	11
4.1.1	Assembly	11
4.1.2	Static strength	11
4.1.3	Maximum height (see A.3)	11
4.1.4	Corners and edges (see A.4)	11
4.1.5	Protruding parts	11
4.1.6	Diameter of ropes and other means of suspension	12
4.1.7	Water accumulation (see A.14)	12
4.2	Barriers, handrails and ladders and similar means of access to activity toys	12
4.2.1	Barriers and handrails preventing a child from falling down (see 6.5.1, A.5)	12
4.2.2	Ladders and similar means of access to activity toys (see A.6)	12
4.3	Entrapment (see A.7)	14
4.3.1	Entrapment of head and neck	14
4.3.2	Entrapment of clothing and hair	15
4.3.3	Entrapment of feet	16
4.3.4	Entrapment of fingers	16
4.4	Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws	16
4.4.1	General	16
4.4.2	Stability of activity toys with a free height of fall of 600 mm or less	17
4.4.3	Stability of activity toys with a free height of fall of more than 600 mm	17
4.5	Slides (see A.8)	17
4.5.1	General	17
4.5.2	Stability of slides	17
4.5.3	Retaining sides for slides (see A.9)	17
4.5.4	Starting, sliding and run-out sections on slides	18
4.6	Swings (see A.10)	21
4.6.1	Stability of swings and other activity toys with crossbeams	21
4.6.2	Static strength of crossbeams, swing devices and suspension connectors	22
4.6.3	Swings intended for children under 36 months	22
4.6.4	Minimum clearance between adjacent swing elements, and adjacent structures	22
4.6.5	Lateral stability of swing elements	23
4.6.6	Minimum clearance between swing elements and the ground (see A.11)	24
4.6.7	Suspension connectors and swing devices	24
4.6.8	Impact, geometry and design of swing elements	25
4.7	See-saws	26
4.7.1	Stability of see-saws	26
4.7.2	Seat/stand height	26
4.7.3	Restraint of motion	26
4.7.4	Pinching and crushing of fingers and toes	26
4.7.5	Hand supports	26
4.8	Carousels and rocking activity toys (see A.12)	27
4.9	Paddling pools	27

4.9.1	Static strength of paddling pools with non-inflatable walls	27
4.9.2	Paddling pools with inflatable walls	27
5	Warnings, markings, and instructions	27
5.1	Warnings and markings	27
5.1.1	General	27
5.1.2	Paddling pools	27
5.2	Assembly and installation instructions	28
5.3	Maintenance	29
6	Test methods	29
6.1	General	29
6.2	Stability	30
6.2.1	Stability of activity toys with a free height of fall of 600 mm or less (see 4.4.2 and 4.8)	30
6.2.2	Stability of activity toys with a free height of fall of more than 600 mm (see 4.4.3)	32
6.2.3	Stability of slides (see 4.5.2)	32
6.2.4	Stability of swings and other activity toys with crossbeams (see 4.6.1)	33
6.2.5	Stability of see-saws (see 4.7.1)	34
6.3	Static strength	35
6.3.1	General	35
6.3.2	Strength of activity toys other than swings and paddling pools (see 4.1.2 and 4.8)	35
6.3.3	Strength of swings (see 4.6.2)	37
6.4	Dynamic strength of barriers and handrails (see 4.2.1)	37
6.4.1	Principle	37
6.4.2	Apparatus	37
6.4.3	Procedure	38
6.5	Test for head and neck entrapment (see 4.3.1)	38
6.5.1	Head and neck entrapment in accessible completely bound openings (see 4.2.1, 4.3.1 a) and 4.3.1 c))	38
6.5.2	Head and neck entrapment in partially bound and V-shaped openings (see 4.3.1 d))	42
6.6	Toggle test (see 4.3.2)	47
6.6.1	Principle	47
6.6.2	Apparatus	47
6.6.3	Procedure	48
6.7	Measurements of sliding and run-out sections on slides (see 4.5.4)	50
6.7.1	Measurement of inclination of the sliding section on slides (see 4.5.4 f))	50
6.7.2	Measurement of the minimum angle along the sliding section and the run-out section on slides (see 4.5.4 g))	50
6.8	Diameter of ropes and other means of suspension (see 4.1.6)	51
6.9	Determination of impact from swing elements (see 4.6.8.2)	52
6.9.1	Principle	52
6.9.2	Apparatus	52
6.9.3	Preparations	54
6.9.4	Testing	54
6.10	Static load test for paddling pools with non-inflatable walls (see 4.9.1)	56
6.11	Measurement of the height of falling protection of swings with double seats and examination of gaps between the swing seat and the falling protection	56
Annex A (informative)	Rationale	58
A.1	Activity toys (see scope)	58
A.2	General requirements (see 4.1)	58
A.3	Maximum height (see 4.1.3)	58
A.4	Corners and edges (see 4.1.4)	58
A.5	Barriers (see 4.2)	58
A.6	Ladders and similar means of access to activity toys (see 4.2.2)	59
A.7	Entrapment (see 4.3)	59
A.8	Slides (see 4.5)	59
A.9	Retaining sides for slides (see 4.5.3)	60
A.10	Swings (see 4.6)	60
A.11	Clearance between swing elements and the ground for crossbeams with a maximum height of 1 200 mm (see 4.6.6)	61

A.12	Rocking activity toys and similar toys (see 4.8)	61
A.13	Stability of swings and other activity toys with crossbeams (see 6.2.4.1.1)	61
A.14	Drowning hazards (see 4.1.7)	61
A.15	Warnings (see Clause 5)	62
Annex B (informative) Significant technical changes between this European Standard and the previous version		63
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2009/48/EC aimed to be covered		65
Bibliography		66