

# DIN EN ISO/IEC 80079-20-1:2020-09 (E)

## Explosive atmospheres - Part 20-1: Material characteristics for gas and vapour classification - Test methods and data (ISO/IEC 80079-20-1:2017, including Cor 1:2018)

---

### CONTENTS

EUROPEAN FOREWORD .....	5
ANNEX ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered .....	6
FOREWORD .....	7
1 Scope .....	9
2 Normative references .....	9
3 Terms and definitions .....	9
4 Classification of gases and vapours .....	11
4.1 General .....	11
4.2 Classification according to the maximum experimental safe gap (MESG) .....	11
4.3 Classification according to the minimum igniting current ratio (MIC ratio) .....	12
4.4 Classification according to the similarity of chemical structure .....	12
4.5 Classification of mixtures of gases .....	12
5 Data for flammable gases and vapours, relating to the use of equipment .....	13
5.1 Determination of the properties .....	13
5.1.1 General .....	13
5.1.2 Equipment group .....	13
5.1.3 Flammable limits .....	13
5.1.4 Flash point (FP) .....	13
5.1.5 Temperature class .....	14
5.1.6 Minimum igniting current (MIC) .....	14
5.1.7 Auto-ignition temperature (AIT) .....	14
5.2 Properties of particular gases and vapours .....	14
5.2.1 Coke oven gas .....	14
5.2.2 Ethyl nitrite .....	14
5.2.3 MESG of carbon monoxide .....	14
5.2.4 Methane, Equipment Group IIA .....	15
6 Method of test for the maximum experimental safe gap (MESG) .....	15
6.1 Outline of method .....	15
6.2 Test apparatus .....	15
6.2.1 General .....	15
6.2.2 Material and mechanical strength .....	16
6.2.3 Exterior chamber .....	16
6.2.4 Interior chamber .....	16
6.2.5 Gap adjustment .....	16
6.2.6 Injection of mixture .....	16
6.2.7 Position of ignition source .....	16
6.3 Procedure .....	16
6.3.1 Preparation of gas mixtures .....	16
6.3.2 Temperature and pressure .....	16
6.3.3 Gap adjustment .....	17

6.3.4	Ignition .....	17
6.3.5	Observation of the ignition process .....	17
6.4	Determination of maximum experimental safe gap (MESG) .....	17
6.4.1	General .....	17
6.4.2	Preliminary tests .....	17
6.4.3	Confirmatory tests .....	17
6.4.4	Reproducibility of maximum experimental safe gaps (MESG).....	17
6.4.5	Tabulated values .....	18
6.5	Verification of the MESG determination method .....	18
7	Method of test for auto-ignition temperature (AIT).....	18
7.1	Outline of method .....	18
7.2	Apparatus .....	18
7.2.1	General .....	18
7.2.2	Test vessel and support.....	19
7.2.3	Thermocouples .....	19
7.2.4	Oven .....	19
7.2.5	Metering devices .....	20
7.2.6	Mirror .....	20
7.2.7	Timer.....	20
7.2.8	Equipment for purging the test vessel with air.....	20
7.2.9	Automated apparatus.....	20
7.3	Sampling, preparation and preservation of test samples .....	21
7.3.1	Sampling .....	21
7.3.2	Preparation and preservation.....	21
7.4	Procedure .....	21
7.4.1	General .....	21
7.4.2	Sample injection .....	22
7.4.3	Determination of the auto-ignition temperature (AIT).....	22
7.5	Auto-ignition temperature (AIT) .....	23
7.6	Validity of results .....	23
7.6.1	Repeatability .....	23
7.6.2	Reproducibility.....	23
7.7	Data.....	24
7.8	Verification of the auto-ignition temperature determination method .....	24
Annex A (normative)	Ovens of test apparatus for the tests of auto-ignition temperature .....	25
A.1	General.....	25
A.2	“IEC oven” .....	25
A.3	“DIN oven” .....	25
Annex B (informative)	Tabulated values .....	32
Annex C (informative)	Determination of cool flames .....	86
Annex D (informative)	Volume dependence of auto-ignition temperature.....	88
Bibliography	.....	89
Figure 1	– Test apparatus .....	15
Figure A.1	– Test apparatus: assembly .....	26
Figure A.2	– Section A-A (flask omitted) .....	27
Figure A.3	– Base heater (board made of refractory material) .....	27

Figure A.4 – Flask guide ring (board made of refractory material) .....	28
Figure A.5 – Neck heater (board made of refractory material) .....	28
Figure A.6 – Oven.....	29
Figure A.7 – Lid of steel cylinder.....	30
Figure A.8 – Lid of steel cylinder.....	31
Figure A.9 – Injection of gaseous sample.....	31
Figure C.1 – Additional thermocouple to detect cool flames .....	86
Figure C.2 – ‘Negative temperature coefficient’ shown for butyl butyrate as an example .....	87
Figure D.1 – Volume dependence of auto-ignition temperature .....	88
Table 1 – Classification of temperature class and range of auto-ignition temperatures.....	14
Table 2 – Values for verification of the apparatus .....	18
Table 3 – Values for verification of the apparatus .....	24
Table B.1 – Material data.....	34