DIN EN ISO/IEC 80079-20-1:2020-09 (E)

Explosive atmospheres - Part 20-1: Material characteristics for gas and vapour classific ation - Test methods and data (ISO/IEC 80079-20-1:2017, including Cor 1:2018)

CONTENTS

EUROPEAN FOREWORD 5

ANNEX ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered 6

FOREWORD 7

1 Scope 9

2 Normative references 9

3 Terms and definitions 9

4 Classification of gases and vapours 11

4.1 General 11

4.2 Classification according to the maximum experimental safe gap (MESG) 11

4.3 Classification according to the minimum igniting current ratio (MIC ratio) 12

4.4 Classification according to the similarity of chemical structure 12

4.5 Classification of mixtures of gases 12

5 Data for flammable gases and vapours, relating to the use of equipment 13

5.1 Determination of the properties 13

5.1.1 General 13

5.1.2 Equipment group 13

5.1.3 Flammable limits 13

5.1.4 Flash point (FP) 13

5.1.5 Temperature class 14

5.1.6 Minimum igniting current (MIC) 14

5.1.7 Auto-ignition temperature (AIT) 14

5.2 Properties of particular gases and vapours 14

5.2.1 Coke oven gas 14

5.2.2 Ethyl nitrite 14

5.2.3 MESG of carbon monoxide 14

5.2.4 Methane, Equipment Group IIA 15

6 Method of test for the maximum experimental safe gap (MESG) 15

6.1 Outline of method 15

6.2 Test apparatus 15

6.2.1 General 15

6.2.2 Material and mechanical strength 16

6.2.3 Exterior chamber 16

6.2.4 Interior chamber 16

6.2.5 Gap adjustment 16

6.2.6 Injection of mixture 16

6.2.7 Position of ignition source 16

6.3 Procedure 16

6.3.1 Preparation of gas mixtures 16

6.3.2 Temperature and pressure 16

6.3.3 Gap adjustment 17

6.3.4 Ignition 17
6.3.5 Observation of the ignition process 17
6.4 Determination of maximum experimental safe gap (MESG) 17
6.4.1 General 17
6.4.2 Preliminary tests 17
6.4.3 Confirmatory tests 17
6.4.4 Reproducibility of maximum experimental safe gaps (MESG) 17
6.4.5 Tabulated values 18
6.5 Verification of the MESG determination method 18
7 Method of test for auto-ignition temperature (AIT) 18
7.1 Outline of method 18
7.2 Apparatus 18
7.2.1 General 18
7.2.2 Test vessel and support 19
7.2.3 Thermocouples 19
7.2.4 Oven 19
7.2.5 Metering devices 20
7.2.6 Mirror 20
7.2.7 Timer 20
7.2.8 Equipment for purging the test vessel with air 20
7.2.9 Automated apparatus 20
7.3 Sampling, preparation and preservation of test samples 21
7.3.1 Sampling 21
7.3.2 Preparation and preservation 21
7.4 Procedure 21
7.4.1 General 21
7.4.2 Sample injection 22
7.4.3 Determination of the auto-ignition temperature (AIT) 22
7.5 Auto-ignition temperature (AIT) 23
7.6 Validity of results 23
7.6.1 Repeatability 23
7.6.2 Reproducibility 23
7.7 Data 24
7.8 Verification of the auto-ignition temperature determination method 24
Annex A (normative) Ovens of test apparatus for the tests of auto-ignition temperature 25
A.1 General 25
A.2 “IEC oven” 25
A.3 “DIN oven” 25
Annex B (informative) Tabulated values 32
Annex C (informative) Determination of cool flames 86
Annex D (informative) Volume dependence of auto-ignition temperature 88
Bibliography 89

Figure 1 − Test apparatus 15
Figure A.1 − Test apparatus: assembly 26
Figure A.2 − Section A-A (flask omitted) 27
Figure A.3 − Base heater (board made of refractory material) 27

Figure A.4 − Flask guide ring (board made of refractory material) 28
Figure A.5 − Neck heater (board made of refractory material) 28
Figure A.6 − Oven 29
Figure A.7 − Lid of steel cylinder 30
Figure A.8 − Lid of steel cylinder 31
Figure A.9 − Injection of gaseous sample 31
Figure C.1 − Additional thermocouple to detect cool flames 86
Figure C.2 − ‘Negative temperature coefficient’ shown for butyl butyrate as an example 87
Figure D.1 − Volume dependence of auto-ignition temperature 88

Table 1 − Classification of temperature class and range of auto-ignition temperatures 14
Table 2 − Values for verification of the apparatus 18
Table 3 − Values for verification of the apparatus 24
Table B.1 − Material data 34