ISO 19087:2018 (E)

Workplace air — Analysis of respirable crystalline silica by Fourier-Transform Infrared spectroscopy

Contents

_		
Fo	rewo	rd.

Introduction

- 1 Scope
- 2 Normative reference
- 3 Terms and definitions
- 4 Principle
- 5 Apparatus, equipment and reagents
- 6 Sampling
 - 6.1 Sample collection
 - 6.2 Transport

7 Preparation

- 7.1 Preparation of calibration samples
- 7.1.1 Preparation of direct-on-filter calibration samples
- 7.1.2 Preparation of redeposition calibration samples
- 7.1.3 Preparation of KBr pellet calibration samples
- 7.2 Preparation of the collection substrate for indirect analysis
- 7.2.1 PVC, MCE and polycarbonate filters
- 7.2.1.1 Furnace treatment
- 7.2.1.2 Plasma ashing
- 7.2.1.3 Treatment with tetrahydrofuran (THF)
- 7.2.2 Cellulose nitrate filters
- 7.2.3 Polyurethane foams
- 7.3 Redeposition onto analysis filter
- 7.3.1 Crucibles from the furnace
- 7.3.2 Bottles or beakers from a plasma asher
- 7.4 Preparation of KBr pellets
- 8 Analytical procedure
 - 8.1 Gravimetric analysis for respirable dust
 - 8.2 Fourier-Transform Infrared analysis
 - 8.2.1 Background correction
 - 8.2.2 Measurement
 - 8.3 Calibration
- 9 Evaluation of Fourier-Transform Infrared spectra
 - 9.1 General aspects
 - 9.2 RCS quantification using peak height
 - 9.3 RCS quantification using peak integral
 - 9.3.1 Determination of the absorption in the range of the analytical bands[12][14]
 - 9.3.2 Subtraction of a reference spectrum[20]
 - 9.3.2.1 Subtraction of a quartz or cristobalite reference spectrum
 - 9.3.3 Other evaluation methods
 - 9.4 Interferences
- 10 Calculation of results

- 10.1 Concentration of RCS
- 11 Performance characteristics
 - 11.1 Limit of detection
 - 11.2 Limits of quantification
 - 11.3 Uncertainty
 - 11.4 Differences between samplers
- 12 Test report
- Annex A (normative) Sample treatment strategies for the removal of interferences
 - A.1 Clay minerals
 - A.2 Coal and similar carbon-based materials
 - A.3 Removal of acid soluble components
 - A.3.1 Calcite, gypsum, dolomite and other similar minerals
 - A.3.2 Iron and iron compounds
 - A.4 Removal of interferences
- Annex B (informative) Differences between samplers (cyclones and other types)
- Annex C (informative)
 - C.1 Method that takes the influence of particle size into consideration[20]
 - C.2 Complimentary analysis using XRD
- Annex D (normative) Examples of dust collection substrates and analysis filters

Page count: 30