

# ISO 19087:2018 (E)

## Workplace air — Analysis of respirable crystalline silica by Fourier-Transform Infrared spectroscopy

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative reference
3	Terms and definitions
4	Principle
5	Apparatus, equipment and reagents
6	Sampling
6.1	Sample collection
6.2	Transport
7	Preparation
7.1	Preparation of calibration samples
7.1.1	Preparation of direct-on-filter calibration samples
7.1.2	Preparation of redeposition calibration samples
7.1.3	Preparation of KBr pellet calibration samples
7.2	Preparation of the collection substrate for indirect analysis
7.2.1	PVC, MCE and polycarbonate filters
7.2.1.1	Furnace treatment
7.2.1.2	Plasma ashing
7.2.1.3	Treatment with tetrahydrofuran (THF)
7.2.2	Cellulose nitrate filters
7.2.3	Polyurethane foams
7.3	Redeposition onto analysis filter
7.3.1	Crucibles from the furnace
7.3.2	Bottles or beakers from a plasma asher
7.4	Preparation of KBr pellets
8	Analytical procedure
8.1	Gravimetric analysis for respirable dust
8.2	Fourier-Transform Infrared analysis
8.2.1	Background correction
8.2.2	Measurement
8.3	Calibration
9	Evaluation of Fourier-Transform Infrared spectra
9.1	General aspects
9.2	RCS quantification using peak height
9.3	RCS quantification using peak integral
9.3.1	Determination of the absorption in the range of the analytical bands[12][14]
9.3.2	Subtraction of a reference spectrum[20]
9.3.2.1	Subtraction of a quartz or cristobalite reference spectrum
9.3.3	Other evaluation methods
9.4	Interferences
10	Calculation of results

10.1	Concentration of RCS
11	Performance characteristics
11.1	Limit of detection
11.2	Limits of quantification
11.3	Uncertainty
11.4	Differences between samplers
12	Test report
Annex A	(normative) Sample treatment strategies for the removal of interferences
A.1	Clay minerals
A.2	Coal and similar carbon-based materials
A.3	Removal of acid soluble components
A.3.1	Calcite, gypsum, dolomite and other similar minerals
A.3.2	Iron and iron compounds
A.4	Removal of interferences
Annex B	(informative) Differences between samplers (cyclones and other types)
Annex C	(informative)
C.1	Method that takes the influence of particle size into consideration[20]
C.2	Complimentary analysis using XRD
Annex D	(normative) Examples of dust collection substrates and analysis filters

Page count: 30