DIN EN 71-1:2018-12 (E)

Safety of toys - Part 1: Mechanical and physical properties (includes Amendment A1:2018)

Contents

Page

European foreword ... 10
Introduction ... 13
1 Scope (see A.2) ... 14
2 Normative references ... 16
3 Terms and definitions ... 17
4 General requirements[1)] ... 29
4.1 Material cleanliness (see A.3) ... 29
4.2 Assembly (see A.4) ... 29
4.3 Flexible plastic sheeting (see A.5 and A.16) ... 30
4.4 Toy bags ... 30
4.5 Glass (see 5.7 and A.6) ... 30
4.6 Expanding materials (see A.7) ... 30
4.7 Edges (see A.8) ... 31
4.8 Points and metallic wires (see A.9) ... 31
4.9 Protruding parts (see A.10) ... 32
4.10 Parts moving against each other ... 32
4.10.1 Folding and sliding mechanisms (see A.11) ... 32
4.10.2 Driving mechanisms (see A.12) ... 34
4.10.3 Hinges (see A.13) ... 34
4.10.4 Springs (see A.14) ... 34
4.11 Mouth-actuated toys and other toys intended to be put in the mouth (see A.15) ... 35
4.12 Balloons (see 4.3 and A.16) ... 35
4.13 Cords of toy kites and other flying toys (see A.17) ... 35
4.14 Enclosures ... 36
4.14.1 Toys which a child can enter (see A.18) ... 36
4.14.2 Masks and helmets (see A.19) ... 36
4.15 Toys intended to bear the mass of a child (see A.20) ... 37
4.15.1 Toys propelled by a child or by other means ... 37
4.15.2 Toy bicycles (see A.20) ... 42
4.15.3 Rocking horses and similar toys (see A.21) ... 42
4.15.4 Toys not propelled by a child ... 43
4.15.5 Toy scooters (see A.49) ... 44

4.16 Heavy immobile toys 45
4.17 [A1] Projectile toys (see A.22) [A1] 45
4.17.1 [A1] General [A1] 45
4.17.2 [A1] All projectiles [A1] 45
4.17.3 [A1] Projectile toys with stored energy [A1] 47
4.17.4 [A1] Certain projectile toys without stored energy [A1] 50
4.18 Aquatic toys and inflatable toys (see A.23) 52
4.19 Percussion caps specifically designed for use in toys and toys using percussion caps (see A.24) 52
4.20 Acoustics (see A.25) 53
4.20.1 Exposure categories for time-averaged sound pressure levels 53
4.20.2 Emission sound pressure level limits 54
4.21 Toys containing a non-electrical heat source 57
4.22 Small balls (see 5.10 and A.48) 58
4.23 Magnets (see A.51) 58
4.23.1 General 58
4.23.2 Toys other than magnetic/electrical experimental sets intended for children over 8 years 58
4.23.3 Magnetic/electrical experimental sets intended for children over 8 years 59
4.24 Yo-yo balls (see A.52) 59
4.25 Toys attached to food (see A.55) 59
4.26 [A1] Toy Disguise Costumes [A1] 59
4.27 [A1] Flying toys (see A.58) [A1] 60
4.27.1 [A1] General [A1] 60
4.27.2 [A1] Rotors and propellers on flying toys [A1] 60
4.27.3 [A1] Rotors and propellers on remote controlled flying toys [A1] 60
5 Toys intended for children under 36 months 61
5.1 General requirements (see A.26) 61
5.2 Soft-filled toys and soft-filled parts of a toy (see A.27) 62
5.3 Plastic sheeting (see A.28) 63
5.4 [A1] Cords, chains and electrical cables in toys (see A.29) [A1] 63
5.4.1 [A1] General [A1] 63
5.4.2 [A1] Cords and chains in toys intended for children under 18 months [A1] 63
5.4.3 [A1] Cords and chains in toys intended for children of 18 months or over but under 36 months [A1] 65
5.4.4 [A1] Fixed loops, tangled loops and nooses [A1] 66
5.4.5 [A1] Cords and chains on pull along toys [A1] 67

5.4.6 [A1] Electrical cables [A1] 67
5.4.7 [A1] Cross-sectional dimension of certain cords 67
5.4.8 [A1] Self-retracting cords 67
5.4.9 [A1] Toys attached to or intended to be strung across a cradle, cot or perambulator 67
5.5 Liquid-filled toys (see A.30) 67
5.6 Speed limitation of electrically-driven ride-on toys 67
5.7 Glass and porcelain (see 4.5 and A.6) 68
5.8 Shape and size of certain toys (see A.31) 68
5.9 Toys comprising monofilament fibres (see A.32) 68
5.10 Small balls (see also 4.22 and A.48) 68
5.11 Play figures 69
5.12 Hemispheric-shaped toys (see A.50) 69
5.13 Suction cups (see A.54) 72
5.14 Straps intended to be worn fully or partially around the neck (see A.53) 72
5.15 [A1] Sledges with cords for pulling [A1] 72
6 Packaging (see A.56) 73
7 Warnings, markings and instructions for use (see A.33) 73
7.1 General 73
7.2 Toys not intended for children under 36 months (see 4.22 and A.34) 74
7.3 Latex balloons (see 4.12 and A.16) 75
7.4 Aquatic toys (see 4.18 and A.23) 76
7.5 Functional toys (see A.35) 76
7.6 Hazardous sharp functional edges and points (see 4.7 and 4.8) 76
7.7 [A1] Projectile toys (see 4.17.3.1) [A1] 76
7.8 Imitation protective masks and helmets (see 4.14.2 and A.19) 76
7.9 Toy kites (see 4.13) 76
7.10 Roller skates, inline skates, skateboards and certain other ride-on toys (see 4.15.1.2 and A.20) 77
7.10.1 Roller skates, inline skates and skateboards 77
7.10.2 Ride-on toys without a braking device 77
7.10.3 Electrically-driven ride-on toys 77
7.10.4 Instructions for use 77
7.11 [A1] Toys otherwise intended to be strung across a cradle, cot, or perambulator (see 5.4.9.1) [A1] 78
7.12 Liquid-filled teethers (see 5.5) 78
7.13 Percussion caps specifically designed for use in toys (see 4.19) 78
7.14 Acoustics (see 4.19 and 4.20) 78

7.15 Toy bicycles (see 4.15.2.2) 78
7.16 Toys intended to bear the mass of a child (see 4.15.1.2, 4.15.2.2, 4.15.3 and 4.15.4) 78
7.17 Toys comprising monofilament fibres (see 5.9) 79
7.18 Toy scooters (see 4.15.5.2) 79
7.19 Rocking horses and similar toys (see 4.15.3 and A.21) 79
7.20 Magnetic/electrical experimental sets (see 4.23.3 and A.51) 79
7.21 [A1] Toys with electrical cables exceeding 300 mm in length (see 5.4.6) [A1] 80
7.22 [A1] Toys with cords or chains intended for children of 18 months and over but under 36 months (see 5.4.3) [A1] 80
7.23 [A1] Toys intended to be attached to a cradle, cot or perambulator (see 5.4.9.2) [A1] 80
7.24 [A1] Sledges with cords for pulling [A1] 80
7.25 [A1] Flying toys (see 4.27) [A1] 80
7.25.1 [A1] Flying toys [A1] 80
7.25.2 [A1] Remote controlled flying toys [A1] 80
7.26 [A1] Improvised projectiles (see 4.17.4) [A1] 81
8 Test methods 81
8.1 General requirements for testing 81
8.2 Small parts cylinder (see 4.6, 4.11, 4.18, 4.23.2, 4.23.3, 4.25, 5.1, 5.2 and A.36) 81
8.3 Torque test (see 4.6, 4.11, 4.14.2, 4.17, 4.18, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and Clause 6) 82
8.4 Tension test (see A.37) 82
8.4.1 Apparatus 82
8.4.2 Procedure 83
8.5 Drop test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12 and 5.13) 87
8.6 Tip over test (see 4.10.2, 4.22, 4.23.2, 5.1, 5.10, 5.12 and 5.13) 88
8.7 Impact test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.38) 88
8.8 Compression test (see 4.6, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.39) 88
8.9 Soaking test (see 4.11, 4.23.2, 5.1, 5.10 and 5.12) 89
8.10 Accessibility of a part or component (see 4.5, 4.7, 4.8, 4.10.2, 4.10.4, 4.15.1.3, 4.21, 5.2 and 5.7) 89
8.10.1 Principle 89
8.10.2 Apparatus 89
8.10.3 Procedure 89
8.11 Sharpness of edges (see 4.5, 4.7, 4.9, 4.10.2, 4.14.2, 4.15.1.3 and 5.1) 91
8.11.1 Principle 91
8.11.2 Apparatus 91
8.11.3 Procedure 92

8.12 Sharpness of points (see 4.5, 4.8, 4.9, 4.10.2, 4.14.2, 4.15.1.3, 5.1 and A.40) 93
8.12.1 Principle 93
8.12.2 Apparatus 93
8.12.3 Procedure 95
8.13 Flexibility of metallic wires (see 4.8 and A.41) 95
8.13.1 General 95
8.13.2 Metallic wires and other metallic components intended to be bent 95
8.13.3 Metallic wires likely to be bent 96
8.14 Expanding materials (see 4.6) 96
8.15 Leakage of liquid-filled toys (see 5.5 and A.42) 96
8.16 Geometric shape of certain toys (see 5.8, 5.11 and A.43) 96
8.17 Durability of mouth-actuated toys (see 4.11 and A.44) 97
8.17.1 Mouth-actuated projectile toys 97
8.17.2 Other mouth-actuated toys 97
8.18 Folding or sliding mechanisms (see 4.10.1 and A.45) 98
8.18.1 Loads 98
8.18.2 Toy pushchairs and perambulators 99
8.18.3 Other collapsible toys (see 4.10.1 c)) 99
8.19 Electric resistivity of cords (see 4.13) 99
8.20 [A1] Cords cross-sectional dimension (see 5.4.7) [A1] 99
8.21 Static strength (see 4.15.1.3, 4.15.1.5, 4.15.3, 4.15.4 and A.46) 100
8.22 Dynamic strength (see 4.15.1.3) 101
8.22.1 Principle 101
8.22.2 Loads 101
8.22.3 Procedure 102
8.23 Stability 104
8.23.1 Toys intended to bear the mass of a child (see 4.15.1.4, 4.15.3 and 4.15.4) 104
8.23.2 Heavy immobile toys (see 4.16) 104
8.24 [A1] Kinetic energy of projectiles (see 4.17.3.1, 4.17.4.2) [A1] 105
8.24.1 [A1] Principle [A1] 105
8.24.2 [A1] Apparatus [A1] 105
8.24.3 [A1] Procedure [A1] 105
8.25 Plastic sheeting 108
8.25.1 Thickness (see 4.3, 5.3 and Clause 6) 108
8.25.2 Adhesion (see 5.3) 108
8.26 Brake performance 108

8.26.1 Brake performance for certain ride-on toys (see 4.15.1.5) 108
8.26.2 Brake performance for toy bicycles (see 4.15.2.3) 109
8.26.3 Brake performance for toy scooters (see 4.15.5.5) 109
8.27 Strength of toy scooter steering tubes (see 4.15.5.3) 110
8.27.1 Resistance to downward forces 110
8.27.2 Resistance to upward forces 111
8.28 Determination of emission sound pressure levels (see 4.20) 112
8.28.1 General 112
8.28.2 Test procedures 115
8.29 Determination of maximum design speed of electrically-driven ride-on toys (see 4.15.1.2, 4.15.1.5, 4.15.1.8 and 5.6) 125
8.30 Measurement of temperature rises (see 4.21) 126
8.31 Toy chest lids (see 4.14.1 c)) 126
8.31.1 General 126
8.31.2 Lid support 126
8.31.3 Durability test for vertically opening hinged lids 126
8.32 Small balls and suction cups test (see 4.17, 4.22, 4.25, 5.10 and 5.13) 126
8.32.1 Small balls and suction cups (see Clause 6) 126
8.32.2 Small balls attached to a toy by a cord 127
8.33 Test for play figures (see 5.11) 128
8.34 Tension test for magnets (see 4.23.2 and A.51) 128
8.34.1 General 128
8.34.2 Toys that contain more than one magnet or magnetic component 129
8.34.3 Toys that contain one magnet only 129
8.35 Magnetic flux index (see 4.23.2 and 4.23.3) 129
8.35.1 General 129
8.35.2 Apparatus 129
8.35.3 Procedure 130
8.35.4 Calculation of magnetic flux index 130
8.36 [A1] Perimeter of cords and chains (see 5.4.4) [A1] 131
8.36.1 Test equipment 131
8.36.2 Test procedures 132
8.37 Yo-yo balls measurements (see 4.24) 134
8.37.1 Measurement of initial length l_0 134
8.37.2 Measurement of elastic constant k 135
8.38 [A1] Breakaway feature separation test (see 5.4.2, 5.4.3 and 5.14) [A1] 137

8.39 [A1] Self-retracting cords (see 5.4.8) [A1] 137
8.40 [A1] Length of cords, chains and electrical cables (see 5.4.2, 5.4.3, 5.4.5 and 5.4.6) [A1] 137
8.41 [A1] Assessment of the tangle potential of two cords or chains [A1] 138
8.42 [A1] Determination of projectile range [A1] 139
8.43 [A1] Assessment of leading parts of projectiles and flying toys [A1] 140
8.44 [A1] Length of suction cup projectiles [A1] 141
Annex A (informative) Background and rationale for this European Standard 142
A.1 General 142
A.2 Scope (see Clause 1) 142
A.3 Material cleanliness (see 4.1) 142
A.4 Assembly (see 4.2) 143
A.5 Flexible plastic sheeting (see 4.3) 143
A.6 Glass (see 4.5 and 5.7) 143
A.7 Expanding materials (see 4.6) 143
A.8 Edges (see 4.7) 143
A.9 Points and metallic wires (see 4.8) 144
A.10 Protruding parts (see 4.9) 144
A.11 Folding and sliding mechanisms (see 4.10.1) 145
A.12 Driving mechanisms (see 4.10.2) 145
A.13 Hinges (see 4.10.3) 145
A.14 Springs (see 4.10.4) 146
A.15 Mouth-actuated toys and other toys intended to be put in the mouth (see 4.11) 146
A.16 Balloons (see 4.3, 4.12 and 7.3) 147
A.17 Cords of toy kites (see 4.13) 147
A.18 Toys which a child can enter (see 4.14.1) 147
A.19 Masks and helmets (see 4.14.2 and 7.8) 147
A.20 Toys intended to bear the mass of a child (see 4.15 and 7.10) 148
A.21 Rocking horses and similar toys (see 4.15.3) 149
A.22 [A1] Projectile toys (see 4.17) [A1] 149
A.23 Aquatic toys and inflatable toys (see 4.18 and 7.4) 153
A.24 Percussion caps specifically designed for use in toys and toys using percussion caps (see 4.19) 154
A.25 Acoustics (see 4.20) 154
A.26 General requirements for toys intended for children under 36 months (see 5.1) 157
A.27 Soft-filled toys and soft-filled parts of a toy (see 5.2) 158
A.28 Adhesion of plastic sheeting (see 5.3) 159
A.29 Cords and chains in toys (see 5.4) 159

A.30 Liquid-filled toys (see 5.5 and A.42) ... 163
A.31 Shape and size of certain toys (see 5.8 and A.43) ... 164
A.32 Toys comprising monofilament fibres (see 5.9) ... 164
A.33 Warnings, markings and instructions for use (see 7.1) ... 164
A.34 Warning for toys not intended for children under 36 months (see 7.2) ... 166
A.35 Warnings in connection with functional toys (see 7.5) ... 166
A.36 Small parts cylinder (see 8.2) ... 166
A.37 Tension test (see 8.4) ... 167
A.38 Impact test (see 8.7) ... 167
A.39 Compression test (see 8.8) ... 167
A.40 Sharpness of points (see 8.12) ... 167
A.41 Flexibility of metallic wires (see 8.13) ... 167
A.42 Leakage of liquid-filled teethers (see 8.15 and A.30) ... 167
A.43 Geometric shape of certain toys (see 8.16 and A.31) ... 167
A.44 Durability of mouth-actuated toys (see 8.17) ... 168
A.45 Folding or sliding mechanisms (see 8.18) ... 168
A.46 Static strength (see 8.21) ... 168
A.47 Kinetic energy of projectiles, bows and arrows (see 8.24) ... 168
A.48 Small balls (see 4.22 and 5.10) ... 168
A.49 Toy scooters (see 4.15.5) ... 170
A.50 Hemispheric-shaped toys (see 5.12) ... 170
A.51 Magnets (see 4.23) ... 171
A.52 Yo-yo balls (see 4.24) ... 173
A.53 Straps intended to be worn fully or partially around the neck (see 5.14) ... 176
A.54 Suction cups (see 5.13) ... 176
A.55 Toys attached to food (see 4.25) ... 176
A.56 Packaging (see Clause 6) ... 177
A.57 [A1] Cords and drawstrings (see 4.26) [A1] ... 178
A.58 [A1] Flying toys, rotors and propellers (see 4.27) [A1] ... 178
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives ... 181
Bibliography ... 183