

ISO/TR 8124-9:2020-03 (E)

Safety of toys - Part 9: Safety aspects related to mechanical and physical properties - Comparison of ISO 8124-1, EN 71-1 and ASTM F963

Contents		Page
Foreword		vii
Introduction		viii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Comparison of scopes	1
5	Comparison of terms and definitions	5
5.1	General	5
5.2	Analysis of the main differences between the terms and definitions	8
5.2.1	Aquatic toy	8
5.2.2	Asphyxiation and choking	9
5.2.3	Ball	9
5.2.4	Close-to-the-ear toy	9
5.2.5	Cord	10
5.2.6	Elastic	10
5.2.7	Hand-held toy	11
5.2.8	Hazard	11
5.2.9	Large and bulky toy	11
5.2.10	Marble	12
5.2.11	Paper	12
5.2.12	Pompom	13
5.2.13	Projectile	13
5.2.14	Projectile toy with stored energy	14
5.2.15	Protective cap, protective cover or protective tip	14
5.2.16	Pull or push toy	15
5.2.17	Rattle	15
5.2.18	Toy scooter	16
5.2.19	Squeeze toy	16
6	Comparison of requirements	17
6.1	General	17
6.2	Normal use	17
6.3	Reasonably foreseeable abuse	18
6.4	Material	22
6.4.1	Fillings	23
6.4.2	Expanding materials	23
6.4.3	Glass and porcelain	24
6.5	Small parts	25
6.5.1	General	25
6.5.2	Small parts exemptions	25
6.5.3	Test methods	26
6.6	Shape, size and strength of certain toys	27
6.6.1	General	27
6.6.2	Squeeze toys, rattles and certain other toys	28
6.6.3	Small balls	29
6.6.4	Pompoms	30
6.6.5	Toy pacifiers	30
6.6.6	Balloons	30

6.6.7	Marbles.....	30
6.6.8	Hemispheric-shaped toys.....	31
6.6.9	Suction cups.....	32
6.6.10	Test templates.....	32
6.7	Edges.....	33
6.7.1	General.....	33
6.7.2	Age range for application of the functional sharp edge exemption.....	34
6.7.3	Toys assembled by adults.....	34
6.7.4	Test method.....	34
6.8	Points.....	35
6.8.1	General.....	35
6.8.2	Age range for application of the functional sharp point exemption.....	36
6.8.3	Electrical conductors.....	36
6.8.4	Examples of accessible, potentially hazardous sharp points.....	36
6.8.5	Test method.....	36
6.9	Projections.....	36
6.9.1	General.....	36
6.9.2	Ends of rigid handlebars.....	37
6.9.3	Age grade.....	37
6.9.4	Bath toy projections.....	37
6.9.5	Protective components.....	37
6.10	Metal wires and rods.....	37
6.10.1	General.....	37
6.10.2	Scope of the metal wires and rods flexure test.....	38
6.10.3	Metal wire flexure test methods.....	38
6.11	Plastic film or plastic bags in packaging and in toys.....	39
6.11.1	General.....	39
6.11.2	Scope of plastic film or plastic bags in packaging and in toys.....	39
6.11.3	Minimum sheet thickness.....	39
6.11.4	Thickness of plastic balloons.....	40
6.11.5	Detached plastic sheeting.....	40
6.11.6	Perforated plastic film.....	40
6.11.7	Determination of plastic sheet area.....	40
6.12	Cords.....	40
6.12.1	General.....	40
6.12.2	Length of cords, loops, nooses and tangled loops.....	42
6.12.3	Diameter of certain cords intended for children under 36 months.....	46
6.12.4	Self-retracting cords.....	46
6.12.5	Toys attached to or intended to be strung across, or otherwise attached to a cradle, cot, perambulator or carriage.....	47
6.12.6	Cords on pull toys.....	48
6.12.7	Cords on toy bags.....	48
6.12.8	Cords, strings and lines for flying toys.....	49
6.12.9	Electrical cables.....	49
6.12.10	Cord warning.....	50
6.12.11	Test methods and equipment.....	50
6.12.12	Toy disguise costumes.....	52
6.13	Folding mechanisms.....	52
6.13.1	General.....	52
6.13.2	Hinge line clearance.....	53
6.13.3	Toy pushchairs, perambulators and similar toys.....	54
6.13.4	Requirement for folding devices having a scissor-like action.....	56
6.14	Holes, clearances and accessibility of mechanisms.....	56
6.14.1	General.....	56
6.14.2	Holes, clearances and accessibility of mechanisms.....	56
6.14.3	Accessible clearances for moveable segments.....	56
6.14.4	Chains or belts in ride-on toys.....	57
6.14.5	Other driving mechanisms.....	57
6.14.6	Winding keys.....	57
6.14.7	Toy bicycles and tricycles provided with a handle that can be used for pushing the child.....	57
6.15	Springs.....	58
6.16	Stability and overload requirements.....	58

6.16.1	Stability requirements for ride-on toys and seats	58
6.16.2	Overload requirements for ride-on toys and seats	62
6.16.3	Stability of stationary floor toys	64
6.17	Enclosures	65
6.17.1	General	65
6.17.2	Impermeable material	65
6.17.3	Ventilation	66
6.17.4	Closures	66
6.17.5	Toy chests safety labelling	66
6.18	Simulated protective equipment, such as helmets, hats and goggles	67
6.19	Projectile toys	67
6.19.1	General	67
6.19.2	General requirements of projectiles	69
6.19.3	Projectile range	69
6.19.4	Impact surface	69
6.19.5	Discharge mechanism	71
6.19.6	Kinetic energy and warning	74
6.19.7	Toy catapults and projectiles propelled by an elastic band and projectile toys without stored energy where the discharge mechanism can store energy, only when held in place by the user	75
6.19.8	Dart	75
6.19.9	Mouth-actuated projectile toys	76
6.19.10	Test method	76
6.20	Rotors and propellers	76
6.20.1	General	76
6.20.2	Scope and exemption	77
6.20.3	Leading part(s) on rigid parts of flying toys	77
6.20.4	Examples of designs to minimize the risk potential of rotating blades	77
6.20.5	Rotor or propeller warning	78
6.20.6	Rotors and propellers on remote controlled flying toys	79
6.21	Aquatic toys	79
6.22	Braking	80
6.22.1	General	80
6.22.2	Braking device — exemptions	81
6.22.3	Braking device – requirements	81
6.22.4	Free-wheeling facility	81
6.22.5	Brake performance test	81
6.23	Toy bicycles	82
6.23.1	General	82
6.23.2	Braking system	82
6.23.3	Warning	83
6.24	Speed limitation of electrically driven ride-on toys	83
6.24.1	General	83
6.24.2	Seat requirements	83
6.24.3	Determination of maximum design speed of electrically driven ride-on toys	83
6.25	Toys containing a heat source	85
6.25.1	General	85
6.25.2	Exemption for toys containing a heat source	85
6.25.3	Scope of toys containing a heat source	85
6.25.4	Temperature rise for heat sources	85
6.25.5	Test environment for toys containing a heat source	86
6.26	Liquid-filled toys	86
6.27	Mouth-actuated toys	86
6.28	Toy roller skates, toy inline skates and toy skateboards	87
6.29	Percussion caps	87
6.30	Acoustic requirements	88
6.30.1	General	88
6.30.2	Scope for the acoustic	88

6.30.3	Category of acoustic toys	89
6.30.4	Rattles	89
6.30.5	Comparison of the acoustic requirements	89
6.30.6	Test method	89
6.31	Toy scooters	91
6.31.1	General	91
6.31.2	Comparison of toy scooter requirements	92
6.32	Magnets and magnetic components	92
6.33	Yo-yo balls	95
6.34	Straps intended to be worn fully or partially around the neck	96
6.35	Sledges and toboggans with cords for pulling	96
6.36	Jaw entrapment in handles and steering wheels	97
6.37	Toy gun markings (refer to ISO 8124-1:2018, Annex D)	97
6.38	Toys attached to food (refer to ISO 8124-1:2018, B.2.8)	97
6.39	Toys comprising monofilament fibres which may present long hair hazards (refer to ISO 8124-1:2018)	97
6.40	Packaging and packaging components (spherical, egg-shaped or ellipsoidal, and hemispheric-shaped containers)	98
Annex A (informative) Index of requirements in EN 71-1		99
Annex B (informative) Index of requirements in ASTM F963		112
Annex C (informative) Significant editorial and technical changes to the previous version of this document		122
Bibliography		124