


# DIN EN 71-3:2021-06 (E)

## Safety of toys - Part 3: Migration of certain elements (includes Amendment A1:2021)

---

<b>Contents</b>	<b>Page</b>
European foreword.....	5
Introduction .....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions .....	8
4 Requirements.....	9
4.1 Toy material categories (see H.4) .....	9
4.2 Specific requirements.....	10
5 Principle .....	11
6 Reagents and apparatus .....	12
6.1 Reagents .....	12
6.2 Apparatus.....	12
7 Sampling and sample preparation.....	12
7.1 Selection of test portions.....	12
7.2 Sample preparation.....	13
7.2.1 General.....	13
7.2.2 Sampling.....	13
7.2.3 Dewaxing (see H.11) .....	15
8 Migration methodology .....	16
8.1 Preparation of test portions before migration testing.....	16
8.1.1 General.....	16
8.1.2 Category I: Dry, brittle, powder like or pliable materials and Category II: Liquid or sticky materials.....	16
8.1.3 Category III: Scraped-off materials.....	16
8.2 pH adjustment (see H.10).....	17
8.2.1 General.....	17
8.2.2 pH adjustment - no buffering effect by toy material.....	17
8.2.3 pH adjustment - buffering effect by toy material.....	17
8.3 Migration procedure.....	18
8.3.1 Migration.....	18
8.3.2 Filtration (see H.8).....	19
9 Stabilization and analysis of migration solutions .....	19
9.1 General.....	19
9.2 General elements .....	19
9.3 Chromium (VI) .....	19
9.4 Organic tin .....	20
10 Calculation of results .....	20
10.1 Calculation of migration .....	20
10.1.1 General.....	20
10.1.2 Calculation of Chromium (III).....	20
10.2 Interpretation of results.....	21
11 Method performance .....	21

11.1	Repeatability and reproducibility .....	21
11.2	Estimation of bias .....	23
11.3	Limit of detection (LOD) and limit of quantification (LOQ) .....	23
12	Test report .....	24
<b>Annex A (informative) Significant technical changes between this document and the previous version .....</b>		<b>25</b>
<b>Annex B (informative) Information on method validation.....</b>		<b>27</b>
B.1	General .....	27
B.2	Samples of interlaboratory comparison .....	27
B.3	Selection of material category/element combinations .....	28
<b>Annex C (informative) Estimation of reproducibility.....</b>		<b>29</b>
<b>Annex D (informative) Toy material visual particle size comparison materials.....</b>		<b>31</b>
<b>Annex E (normative) Method of analysis for general elements.....</b>		<b>33</b>
E.1	Principle.....	33
E.2	Working solutions.....	33
E.2.1	Stock solution ( $M_1$ ).....	33
E.2.2	Diluted stock solution ( $M_2$ ) .....	34
E.2.3	Working solutions.....	34
E.2.4	Internal standard stock solution .....	34
E.3	Procedure .....	34
E.4	Analysis .....	34
E.5	Calculation.....	35
E.5.1	Calibration curve .....	35
E.5.2	Calculation of migration.....	35
<b>Annex F (normative) Method of analysis for Chromium (VI) .....</b>		<b>36</b>
F.1	Principle.....	36
F.2	Reagents.....	36
F.3	Apparatus .....	37
F.4	Procedure .....	38
F.5	Analysis .....	38
F.5.1	General .....	38
F.5.2	Chromatographic conditions.....	38
F.5.3	Limit of detection and quantification.....	39
F.6	Calculation.....	39
F.6.1	Calibration curve .....	39
F.6.2	Calculation of migration.....	40
<b>Annex G (normative) Method of analysis for organic tin (see H.9) .....</b>		<b>41</b>

<b>G.1</b>	<b>Principle</b> .....	<b>41</b>
<b>G.2</b>	<b>Reagents</b> .....	<b>42</b>
<b>G.3</b>	<b>Apparatus</b> .....	<b>45</b>
<b>G.4</b>	<b>Procedure</b> .....	<b>45</b>
<b>G.4.1</b>	<b>Sample derivatisation</b> .....	<b>45</b>
<b>G.4.2</b>	<b>Calibration standards</b> .....	<b>47</b>
<b>G.5</b>	<b>Analysis</b> .....	<b>47</b>
<b>G.5.1</b>	<b>General</b> .....	<b>47</b>
<b>G.5.2</b>	<b>Example of GC conditions</b> .....	<b>49</b>
<b>G.5.3</b>	<b>Example of MS conditions</b> .....	<b>49</b>
<b>G.5.4</b>	<b>Limit of detection and quantification</b> .....	<b>49</b>
<b>G.5.5</b>	<b>Example of a GC-MS chromatogram</b> .....	<b>50</b>
<b>G.6</b>	<b>Calculation</b> .....	<b>51</b>
<b>G.6.1</b>	<b>Calibration curve</b> .....	<b>51</b>
<b>G.6.2</b>	<b>Standard addition</b> .....	<b>51</b>
<b>G.6.3</b>	<b>Calculation of migration of organic tin</b> .....	<b>51</b>
<b>Annex H</b>	<b>(informative) Rationale</b> .....	<b>53</b>
<b>H.1</b>	<b>General</b> .....	<b>53</b>
<b>H.2</b>	<b>Mouthing behaviour of children (see Clause 1)</b> .....	<b>53</b>
<b>H.3</b>	<b>Skin contact (see Clause 1)</b> .....	<b>54</b>
<b>H.4</b>	<b>Toy categories (see 4.1)</b> .....	<b>54</b>
<b>H.5</b>	<b>Test portions (see Clause 7)</b> .....	<b>54</b>
<b>H.6</b>	<b>Size of test pieces (see 7.2)</b> .....	<b>54</b>
<b>H.7</b>	<b>Stability of Chromium (VI) in the migration solution (see 9.3)</b> .....	<b>55</b>
<b>H.8</b>	<b>Filtration of migration solutions (see 8.3.2)</b> .....	<b>55</b>
<b>H.9</b>	<b>Organic tin (see Annex G)</b> .....	<b>55</b>
<b>H.10</b>	<b>pH value (see 8.2 and 8.3.1.2)</b> .....	<b>57</b>
<b>H.11</b>	<b>De-waxing (see 7.2.3)</b> .....	<b>57</b>
<b>Annex ZA</b>	<b>(informative)  Relationship between this European Standard and the essential requirements of EU Directive 2009/48/EC aimed to be covered</b> .....	<b>58</b>
<b>Bibliography</b>	.....	<b>59</b>