

DIN EN 1888-1:2022-09 (E)

Child care articles - Wheeled child conveyances - Part 1: Pushchairs and prams (includes Amendment A1:2022)

Contents	Page
European foreword	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 General requirements and test conditions.....	9
4.1 Samples.....	9
4.2 Principle of the most onerous condition.....	9
4.3 Tolerances for test equipment.....	9
4.4 Test conditions	10
4.5 Determination of the protected volume.....	10
4.5.1 Protected volume of seat units.....	10
4.5.2 Protected volume of pram bodies having a length greater than 800 mm.....	12
4.5.3 Protected volume for pram bodies having a maximum internal length of 800 mm and car seats	13
4.6 Determination of the junction line	13
4.7 Determination of the occupant space.....	14
4.7.1 Determination of occupant space for seat unit and car seat.....	14
4.7.2 Determination of occupant space for pram body having a length less than 800 mm..	14
4.7.3 Determination of occupant space for pram body having a length greater than 800 mm	14
5 Test equipment.....	15
5.1 Test masses	15
5.1.1 General.....	15
5.1.2 Test mass <i>A</i>	15
5.1.3 Test mass <i>B</i>	16
5.1.4 Test mass <i>C</i>	16
5.1.5 Test mass <i>D</i>	17
5.1.6 Test mass <i>D</i> ₀	18
5.1.7 Test mass <i>F</i>	18
5.1.8 Test mass <i>G</i>	19
5.1.9 Test bar.....	20
5.2 Test probes.....	21
5.2.1 Finger probes	21
5.2.2 Hip probe	23
5.2.3 A1 Small head probe	24
5.2.4 Large head probe	25
5.2.5 Conical probes.....	25
5.3 Angle measuring device.....	25
5.4 Test ball	27
5.5 Hinged board	27
5.6 Small parts cylinder	27
5.7 Bite tester	28
5.8 Test surface.....	29
5.9 Rectangular stops	29
5.10 Irregular surface test equipment.....	30

5.10.1	Obstacles.....	30
5.10.2	Articulating arms (see Annex B)	31
6	Chemical hazards (see A.2)	31
7	Thermal hazards (see A.3)	32
8	Mechanical hazards (see A.4).....	32
8.1	Protective function (see A.4.2)	32
8.1.1	Suitability of vehicle	32
8.1.2	Minimum internal height of pram body	35
8.1.3	Restraint system and fasteners	36
8.2	Entrapment hazards (see A.4.3).....	39
8.2.1	Holes and openings.....	39
8.2.2	Entrapment between the handle and the pram body.....	39
8.3	Hazards from moving parts (see A.4.4)	39
8.3.1	General	39
8.3.2	Shearing hazards (see A.4.4)	40
8.3.3	Crushing hazards, requirement (see A.4.4)	40
8.3.4	Wheels	41
8.3.5	Locking mechanism(s).....	41
8.4	Entanglement hazards (see A.5).....	44
8.4.1	Requirements.....	44
8.4.2	Test method.....	45
8.5	Choking and ingestion hazards (see A.6)	46
8.5.1	Requirements.....	46
8.5.2	Test methods.....	46
8.6	Suffocation hazards (see A.7).....	48
8.6.1	Internal lining of the pram body and seat unit.....	48
8.6.2	Plastic packaging	48
8.7	Hazardous edges and protrusions (see A.8)	48
8.8	Parking and braking devices (see A.9)	49
8.8.1	Requirements.....	49
8.8.2	Test methods.....	49
8.9	Stability (see A.10)	53
8.9.1	Stability of vehicle	53
8.9.2	Longitudinal stability of a pram body with carrying handles	57
8.10	Structural integrity (see A.11)	58
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units.....	58
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats.....	58
8.10.3	Irregular surface test	59
8.10.4	Dynamic strength	60
8.10.5	Wheel strength	62
8.10.6	Handle strength.....	62
9	Durability of marking.....	66
10	Product information.....	66
10.1	General	66
10.2	Marking of product	66
10.3	Purchase information (A.12).....	67
10.4	Instructions for use.....	68

Annex A (informative) Rationales	70
A.1 General	70
A.2 Chemical hazards (see Clause 6)	70
A.3 Thermal hazards (see Clause 7)	70
A.4 Mechanical hazards (see Clause 8)	70
A.4.1 General	70
A.4.2 Protective function (see 8.1)	70
A.4.3 Entrapment hazards (see 8.2)	70
A.4.4 Hazards from moving parts (see 8.3)	71
A.5 Entanglement hazards (see 8.4)	72
A.6 Choking and ingestion hazards (see 8.5)	73
A.7 Suffocation hazards (see 8.6)	73
A.8 Hazardous edges and protrusions (see 8.7)	73
A.9 Parking and braking devices (see 8.8)	73
A.10 Stability (see 8.9)	73
A.11 Structural integrity (see 8.10)	73
A.12 Purchase information (see 10.3)	74
Annex B (informative) Examples of articulated arms to maintain the vehicle on the rig for the irregular surface test	75
Annex C (informative) Guideline for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)”	77
C.1 Relevant definitions	77
C.2 Guidelines for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)”	77
C.2.1 General	77
C.2.2 Products fitted with one single <i>operating device</i> (products that may be fold using only one hand)	77
C.2.3 Products fitted with two operating devices	78
C.2.4 Products having three or more <i>operating devices</i>	79
C.2.5 Products covered by different requirements	79
Annex D (informative) Examples of moving parts of the canopies inside 100 mm from the pivot point	81
D.1 Case A	81
D.2 Case B	82
D.3 Case C	83
Annex E (informative) Translation of Warnings in different European languages	84
Annex F (informative) A-deviations	110
Annex G (informative) Child restraint systems: arrangement of approval marks	111
Bibliography	112