

ISO 8124-4:2025-06 (E)

Safety of toys - Part 4: Activity toys for domestic use

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | vi |
| Introduction | | ix |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Requirements | 6 |
| 4.1 | General (see Clause A.4) | 6 |
| 4.1.1 | Materials | 6 |
| 4.1.2 | Hardware | 6 |
| 4.1.3 | Static strength | 7 |
| 4.1.4 | Maximum height | 7 |
| 4.1.5 | Corners and edges | 7 |
| 4.1.6 | Protruding parts | 7 |
| 4.1.7 | Diameter of ropes and other means of suspension | 10 |
| 4.1.8 | Open tubing | 11 |
| 4.1.9 | Crush and shear points | 11 |
| 4.1.10 | Hand support: hand-gripping/grasping components | 11 |
| 4.2 | Barriers | 11 |
| 4.3 | Rung ladders, stepladders and stairways | 12 |
| 4.3.1 | General | 12 |
| 4.3.2 | Handrails and hand support | 13 |
| 4.4 | Entrapment (see Clause A.8) | 14 |
| 4.4.1 | Head and neck entrapment | 14 |
| 4.4.2 | Entrapment of clothing and hair | 16 |
| 4.4.3 | Entrapment of feet | 16 |
| 4.4.4 | Entrapment of fingers | 16 |
| 4.5 | Stability of activity toys other than slides, swings and toys with crossbeams | 17 |
| 4.5.1 | General | 17 |
| 4.5.2 | Stability of activity toys with a free height of fall of 600 mm or less | 17 |
| 4.5.3 | Stability of activity toys with a free height of fall of more than 600 mm | 17 |
| 4.6 | Slides (see Clause A.9) | 17 |
| 4.6.1 | General | 17 |
| 4.6.2 | Stability of slides | 17 |
| 4.6.3 | Retaining sides for slides | 18 |
| 4.6.4 | Starting, sliding and run-out section on slides | 18 |
| 4.6.5 | Roller slides | 21 |
| 4.7 | Swings and other activity toys with crossbeams (see Clause A.10) | 21 |
| 4.7.1 | General | 21 |
| 4.7.2 | Stability of swings and other activity toys with crossbeams | 21 |
| 4.7.3 | Strength of crossbeams, swing devices, suspension connectors and suspension couplings | 22 |
| 4.7.4 | Swings intended for children under 36 months | 22 |
| 4.7.5 | Impact, geometry and design of swing elements | 22 |
| 4.7.6 | Minimum clearance between adjacent swing elements and adjacent structures | 23 |
| 4.7.7 | Lateral stability of swing elements | 24 |
| 4.7.8 | Minimum clearance between swing elements and the ground | 25 |
| 4.7.9 | Suspension connectors and swing devices | 26 |

| | | |
|--------|---|----|
| 4.8 | See-saws | 27 |
| 4.8.1 | General | 27 |
| 4.8.2 | Stability of see-saws | 27 |
| 4.8.3 | Seat/stand height | 27 |
| 4.8.4 | Restraint of motion | 27 |
| 4.8.5 | Pinching and crushing of fingers and toes | 27 |
| 4.8.6 | Hand supports | 27 |
| 4.9 | Carousels and rocking activity toys | 27 |
| 4.10 | Inflatable activity toys (see Clause A.15) | 27 |
| 4.10.1 | General | 27 |
| 4.10.2 | Anchorage | 28 |
| 4.10.3 | Connection tubes for continuous inflation | 28 |
| 4.10.4 | Containment | 29 |
| 4.11 | Paddling pools | 30 |
| 4.11.1 | General | 30 |
| 4.11.2 | Static strength of paddling pools with non-inflatable walls | 30 |
| 4.11.3 | Paddling pools with inflatable walls | 30 |
| 5 | Warnings and labelling | 30 |
| 5.1 | Labelling | 30 |
| 5.2 | Assembly and installation instructions | 30 |
| 5.2.1 | General | 30 |
| 5.2.2 | Information on playground surfacing materials | 31 |
| 5.2.3 | Paddling pools | 31 |
| 5.3 | Operating instructions | 32 |
| 5.4 | Maintenance instructions | 32 |
| 5.5 | Warnings | 33 |
| 5.5.1 | Drowning | 33 |
| 5.5.2 | Inflatable activity toys | 33 |
| 5.5.3 | Paddling pools | 33 |
| 6 | Test methods | 34 |
| 6.1 | General | 34 |
| 6.2 | Stability | 35 |
| 6.2.1 | Stability of activity toys with a free height of fall of 600 mm or less (see 4.5.2 and 4.9) | 35 |
| 6.2.2 | Stability of activity toys with a free height of fall of more than 600 mm (see 4.5.3) | 36 |
| 6.2.3 | Stability of slides (see 4.6.2) | 36 |
| 6.2.4 | Stability of swings and other activity toys with crossbeams (see 4.7.2) | 37 |
| 6.2.5 | Stability of toddler swings (see 4.7.4.2) | 40 |
| 6.2.6 | Stability of see-saws | 43 |
| 6.3 | Static strength | 44 |
| 6.3.1 | General | 44 |
| 6.3.2 | Strength of toys other than swings and paddling pools (see 4.1.3 and 4.9) | 44 |
| 6.3.3 | Strength of swings (see 4.7.3) | 46 |
| 6.4 | Dynamic strength of barriers (see 4.2) | 47 |
| 6.4.1 | Principle | 47 |
| 6.4.2 | Apparatus | 47 |
| 6.4.3 | Procedure | 47 |
| 6.5 | Determination of impact from swing elements (see 4.7.5.2) | 48 |
| 6.5.1 | Principle | 48 |
| 6.5.2 | Apparatus | 48 |
| 6.5.3 | Preparations | 49 |
| 6.5.4 | Testing | 50 |
| 6.6 | Test for head and neck entrapment | 52 |
| 6.6.1 | Head and neck entrapment in accessible completely-bound openings (see 4.2 and 4.4.1) | 52 |
| 6.6.2 | Head and neck entrapment in partially-bound and V-shaped openings (see 4.4.1) | 53 |
| 6.7 | Toggle test (see 4.4.2) | 59 |
| 6.7.1 | Principle | 59 |
| 6.7.2 | Apparatus | 59 |
| 6.7.3 | Procedure | 60 |
| 6.8 | Test for protrusions (see 4.1.6) | 62 |

| | | |
|--|---|----|
| 6.8.1 | All protrusions (see 4.1.6.1, 4.1.6.2 and 4.1.6.3) | 62 |
| 6.8.2 | Protrusions in motion rides (see 4.1.6.4 and 4.1.6.5) | 64 |
| 6.9 | Durability test for suspension connectors and means of suspension (see 4.7.9) | 65 |
| 6.9.1 | Principle | 65 |
| 6.9.2 | Apparatus | 65 |
| 6.9.3 | Procedure | 65 |
| 6.9.4 | Alternate procedure | 66 |
| 6.10 | Deflation of inflatable activity toys | 66 |
| 6.10.1 | Principle | 66 |
| 6.10.2 | Apparatus | 67 |
| 6.10.3 | Procedure | 67 |
| 6.11 | Static load test for paddling pools with non-inflatable walls (see 4.11.2) | 67 |
| 6.12 | Diameter of ropes and other means of suspension | 67 |
| 6.13 | Measurements of sliding and run-out sections on slides (see 4.6.4) | 67 |
| 6.13.1 | Measurement of inclination of the sliding section on slides [see 4.6.4 d)] | 67 |
| 6.13.2 | Measurement of the minimum angle along the sliding section and the run-out section on slides [see 4.6.4 e)] | 68 |
| 6.14 | Measurement of the height of falling protection of swings with double seats and examination of gaps between the swing seat and the falling protection | 69 |
| Annex A (informative) Rationale | | 70 |
| Annex B (informative) Consumer information sheet for playground surfacing materials | | 74 |
| Annex C (informative) Safety labelling guidelines for certain types of activity toys | | 75 |
| Bibliography | | 77 |