

ISO 12402-6:2020 (E)

Personal flotation devices — Part 6: Special application lifejackets and buoyancy aids — Safety requirements and additional test methods

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Classification of PFDs
4.1	Classes
4.1.1	Buoyancy aids
4.1.2	Lifejackets
4.1.3	Special application PFDs
4.2	Performance levels
4.2.1	Level 50
4.2.2	Level 100
4.2.3	Level 150
4.2.4	Level 275
5	Special application PFDs
5.1	General
5.2	Application-specific PFDs
5.3	User-assisted PFDs
6	Requirements for user-assisted PFDs
6.1	Principles
6.2	User-convertible inflatable PFDs
6.2.1	General
6.2.2	Additional requirements for user-convertible inflatable PFDs
6.2.2.1	Conversion component(s)
6.2.2.2	Indicator(s)
6.2.3	Additional marking, information supplied by the manufacturer, and consumer information at point of sale for user-convertible inflatable PFDs
6.3	Manual-only inflatable PFDs
6.3.1	General
6.3.2	Additional requirements for manual-only inflatable PFDs
6.3.3	Additional marking, information supplied by the manufacturer, and consumer information at point of sale for manual-only inflatable PFDs
6.4	Inherently buoyant flotation suit PFDs
6.4.1	General
6.4.2	Specific requirements for inherently buoyant flotation suit PFDs
6.4.2.1	Total buoyancy provided
6.4.2.2	Donning test
6.4.2.3	Encumbrance assessment
6.4.3	Additional marking, information supplied by the manufacturer, and consumer information at point of sale for inherently buoyant flotation suit PFDs
6.5	Hybrid PFDs
6.5.1	General
6.5.2	Specific requirements for hybrid PFDs
6.5.2.1	Minimum inherent buoyancy
6.5.2.2	Test requirements

- 6.5.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for hybrid PFDs
- 6.6 PFDs without a cylinder seal indicator
 - 6.6.1 General
 - 6.6.2 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs without cylinder seal indication
- 7 Requirements for application-specific PFDs
 - 7.1 General
 - 7.1.1 Principles
 - 7.1.2 Basic requirements
 - 7.2 Offshore sailing lifejackets
 - 7.2.1 General
 - 7.2.2 Specific requirements for offshore sailing lifejackets
 - 7.2.2.1 Equipment
 - 7.2.2.2 PLD storage and integration requirements
 - 7.2.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for offshore sailing lifejackets
 - 7.3 PFDs for firefighting application
 - 7.3.1 General
 - 7.3.2 Specific requirements for PFDs for firefighting application
 - 7.3.2.1 Fabric and webbing flammability testing
 - 7.3.2.2 Surface finishes or additives
 - 7.3.2.3 Temperature test
 - 7.3.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs for firefighting application
 - 7.4 Commercial white-water PFDs
 - 7.4.1 General
 - 7.4.2 Specific requirements for PFDs intended for commercial white-water
 - 7.4.2.1 Back pad
 - 7.4.2.2 Collar pad
 - 7.4.2.3 User mass limitation
 - 7.4.2.4 Conspicuousness
 - 7.4.2.5 In-water removal test (in case of entrapment)
 - 7.4.2.6 Buoyancy test
 - 7.4.2.7 Horizontal and vertical load test
 - 7.4.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for commercial white-water PFDs
 - 7.5 PFDs for personal water craft, water skiing, or similar towed uses
 - 7.5.1 General
 - 7.5.2 Specific requirements for PFDs for personal water craft, water skiing, or similar towed uses
 - 7.5.2.1 Secure closures
 - 7.5.2.2 Securement features
 - 7.5.2.3 Impact protection
 - 7.5.3 Additional marking
 - 7.5.3.1 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs for personal water craft, water skiing, or similar towed uses
 - 7.5.3.2 Additional markings and information for PFDs with impact protection
 - 7.6 Inflatable PFDs for cold environment
 - 7.6.1 General
 - 7.6.2 Specific Requirements for PFDs for cold environment
 - 7.6.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs for cold environment
 - 7.7 PFDs for swift water rescue
 - 7.7.1 General
 - 7.7.2 Specific requirements for PFDs used for swift water rescue
 - 7.7.2.1 Back pad
 - 7.7.2.2 User mass limitation
 - 7.7.2.3 Colour
 - 7.7.2.4 Retro reflective material
 - 7.7.2.5 Quick-release harness systems
 - 7.7.2.6 Cowtail

- 7.7.3 Specific tests for PFDs used for swift water rescue**
- 7.7.3.1 In-water removal test (in case of entrapment)**
- 7.7.3.2 Buoyancy test**
- 7.7.3.3 Horizontal and vertical load test**
- 7.7.4 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs used for swift water rescue**
- 7.8 PFDs for fall arrest**
- 7.8.1 General**
- 7.8.2 Specific requirements for PFDs for fall arrest**
- 7.8.2.1 Exemption from donning test**
- 7.8.2.2 Fall arrest requirements**
- 7.8.2.3 Compatibility**
- 7.8.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs for fall arrest**
- 7.9 PFDs with quick-release harness systems**
- 7.9.1 General**
- 7.9.2 Quick-release mechanism test**
- 7.9.3 Additional marking, information supplied by the manufacturer, and consumer information at point of sale for PFDs with quick-release harness systems**

Page count: 24