

# DIN EN ISO 6185-3:2024-10 (E)

## Inflatable boats - Part 3: Boats with a length of the hull less than 8 m with a motor power rating of 15 kW and greater (ISO 6185-3:2024)

---

<b>Contents</b>		<b>Page</b>
<b>European foreword</b>		<b>4</b>
<b>Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2013/53/EU</b>		<b>5</b>
<b>Foreword</b>		<b>11</b>
<b>Introduction</b>		<b>12</b>
<b>1 Scope</b>		<b>13</b>
<b>2 Normative references</b>		<b>13</b>
<b>3 Terms and definitions</b>		<b>15</b>
<b>4 Symbols and abbreviated terms</b>		<b>16</b>
<b>5 Construction and structural requirements</b>		<b>17</b>
5.1 Structural materials		17
5.1.1 General		17
5.1.2 Materials forming the flexible floor and buoyancy tube		17
5.1.3 Wood		18
5.2 Buoyant material used in foam-filled buoyancy tubes		19
5.2.1 General		19
5.2.2 Tests		19
5.3 Lifting the boat		20
5.3.1 General		20
5.3.2 Fittings for lifting of the boat (if applicable)		20
5.3.3 Complete boat overload test		20
5.4 Strength of the boat's structure		20
5.4.1 General		20
5.4.2 Drop test (rigid inflatable boats only)		21
5.4.3 In-water testing		21
5.5 Buoyancy tube attachment strength test (type test only)		23
5.5.1 General		23
5.5.2 Requirement		23
5.6 Strength of principal fitted accessories		23
5.6.1 General		23
5.6.2 Requirement		23
<b>6 Stability and flotation requirements</b>		<b>23</b>
6.1 General		23
6.2 Maximum load capacity		24
6.2.1 Determination methods		24
6.2.2 Crew limit		24
6.3 Offset load test		25
6.4 Buoyancy requirements		25
6.4.1 Total buoyant volume		25
6.4.2 Buoyancy determination		26
6.4.3 Sub-division of the inflatable buoyancy tubes (chambers)		26
6.4.4 Nominal pressures (inflatable buoyancy tubes)		27
6.4.5 Valves (if applicable)		27
6.4.6 Strength of the inflatable buoyancy tube		28
6.5 Level flotation when swamped		29
6.6 Watertightness		29
6.6.1 Openings and flooding		29

6.6.2	Hull (below deck) drainage.....	29
6.6.3	Watertightness test (not applicable to self-draining boats).....	30
6.7	Cockpit draining time assessment (Type VIII boats only).....	30
6.7.1	Requirements.....	30
6.7.2	Self-draining test requirement.....	30
6.7.3	Test method.....	30
6.7.4	Quick-draining calculation requirement.....	30
<b>7</b>	<b>Requirements for safe operation</b> .....	<b>30</b>
7.1	Determination of maximum motor power and manoeuvring speed.....	30
7.2	Prevention of falling overboard and recovery.....	30
7.2.1	General.....	30
7.2.2	Location of handholds fitted on tubes of high-speed boats.....	31
7.2.3	Seating safety sign.....	31
7.3	Seating and attachment systems (where offered as a standard or optional equipment).....	31
7.4	Field of vision from the helm position.....	32
7.5	Fire protection.....	32
7.6	Rowlocks and oars.....	32
7.6.1	Requirements.....	32
7.6.2	Abrasion damage.....	32
7.6.3	Prevention from loosening.....	32
7.6.4	Strength of rowlocks.....	32
7.6.5	Use of the rowlocks and oars.....	32
7.6.6	Rowing test.....	32
<b>8</b>	<b>Installation requirements</b> .....	<b>33</b>
8.1	Motor and motor spaces.....	33
8.1.1	Inboard motors.....	33
8.1.2	Outboard motors.....	33
8.2	Ventilation of petrol engine and/or petrol tank compartments (where applicable).....	33
8.3	Electrical installations (where offered as standard or optional equipment).....	33
8.4	Fuel systems.....	33
8.5	Remote steering system (where offered as standard or optional equipment).....	33
8.6	Gas systems.....	34
8.7	Navigation lights.....	34
8.8	Discharge prevention.....	34
<b>9</b>	<b>Equipment to be supplied with the boat</b> .....	<b>34</b>
<b>10</b>	<b>Builder's plate(s) and craft identification number</b> .....	<b>34</b>
<b>11</b>	<b>Owner's manual</b> .....	<b>34</b>
<b>Annex A</b>	<b>(normative) Buoyancy tube attachment tests</b> .....	<b>35</b>
<b>Annex B</b>	<b>(normative) Strength of principal fitted accessories</b> .....	<b>37</b>
<b>Bibliography</b>	.....	<b>39</b>





