

DIN EN 14766:2006-09 (E)

Mountain-bicycles - Safety requirements and test methods

Contents	Page
page Foreword	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Requirements and test methods	9
4.1 Brake tests and strength tests - special requirements	9
4.1.1 Definition of brake tests	9
4.1.2 Definition of strength tests	9
4.1.3 Numbers and condition of specimens for the strength tests	9
4.1.4 Accuracy tolerances of test conditions for brake tests and strength tests	9
4.2 Sharp edges	9
4.3 Security and strength of safety-related fasteners	9
4.3.1 Security of screws	9
4.3.2 Minimum failure torque	10
4.3.3 Folding bicycles	10
4.4 Crack detection methods	10
4.5 Protrusions	10
4.5.1 Requirement	10
4.5.2 Test method	12
4.6 Brakes	12
4.6.1 Braking-systems	12
4.6.2 Hand-operated brakes	12
4.6.3 Attachment of brake assembly and cable requirements	15
4.6.4 Brake-block and brake-pad assemblies - Security test	15
4.6.5 Brake adjustment	16
4.6.6 Hand-operated braking-system - strength test	16
4.6.7 Braking performance	16
4.6.8 Brakes - heat-resistance test	33
4.7 Steering	34
4.7.1 Handlebar - dimensions	34
4.7.2 Handlebar grips and plugs	34
4.7.3 Handlebar-stem - insertion-depth mark or positive stop	34
4.7.4 Handlebar stem-extension to fork-stem - clamping requirements	35
4.7.5 Steering stability	35
4.7.6 Steering assembly - static strength and security tests	35
4.7.7 Handlebar and stem assembly - fatigue test	42
4.8 Frames	44
4.8.1 Suspension-frames - special requirements	44
4.8.2 Frame and front fork assembly - impact test (falling mass)	45
4.8.3 Frame and front fork assembly - impact test (falling frame)	46
4.8.4 Frame - fatigue test with pedalling forces	48
4.8.5 Frame - fatigue test with horizontal forces	50
4.8.6 Frame - fatigue test with a vertical force	51
4.9 Front fork	53
4.9.1 General	53
4.9.2 Means of location of the axle and wheel retention	53

4.9.3	Suspension-forks - special requirements	53
4.9.4	Front fork - Static bending test	54
4.9.5	Front fork - rearward impact test	55
4.9.6	Front fork - bending fatigue test	57
4.9.7	Forks intended for use with hub- or disc-brakes	58
4.10	Wheels and wheel/tyre assemblies	62
4.10.1	Rotational accuracy	62
4.10.2	Wheel/tyre assembly - clearance	62
4.10.3	Wheel/tyre assembly - static strength test	62
4.10.4	Wheel retention	63
4.10.5	Wheels - quick-release devices	64
4.11	Rims, tyres and tubes	64
4.11.1	Tyre inflation pressure	65
4.11.2	Tyre and rim compatibility	65
4.11.3	Rim-wear	65
4.12	Mudguards	65
4.12.1	Requirement	65
4.12.2	Stage 1: Test method - tangential obstruction	65
4.12.3	Stage 2: Test method - radial force	66
4.13	Pedals and pedal/crank drive system	66
4.13.1	Pedal tread	66
4.13.2	Pedal clearance	67
4.13.3	Pedal/pedal-spindle assembly - static strength test	68
4.13.4	Pedal-spindle - impact test	68
4.13.5	Pedal/pedal-spindle - dynamic durability test	69
4.13.6	Drive-system - static strength test	70
4.13.7	Crank assembly - fatigue tests	71
4.14	Saddles and seat-pillars	73
4.14.1	General	73
4.14.2	Limiting dimensions	73
4.14.3	Seat-pillar - Insertion-depth mark or positive stop	74
4.14.4	Saddle/seat pillar - security test	74
4.14.5	Saddle - static strength test	75
4.14.6	Saddle and seat-pillar clamp - fatigue test	76
4.14.7	Seat-pillar - fatigue test	77
4.15	Drive-chain	78
4.16	Chain-guard	78
4.16.1	Requirement	78
4.16.2	Chain-wheel disc diameter	79
4.16.3	Chain protective device	79
4.16.4	Combined front gear-change guide	79
4.17	Spoke protector	80
4.18	Lighting systems and reflectors	80
4.18.1	Lighting and reflectors	80
4.18.2	Wiring harness	80
4.19	Warning device	80
4.20	Road-test on a fully-assembled bicycle	80
4.20.1	Requirement	80
4.20.2	Test method	80
5	Manufacturer's instructions	81
6	Marking	82
6.1	Requirement	82
6.2	Durability test	83
6.2.1	Requirement	83
6.2.2	Test method	83
Annex A (informative) Explanation of the method of least squares for obtaining line of best fit and ± 20 % limit lines for braking performance linearity		84
Annex B (informative) Steering geometry		87

Bibliography	89
--------------------	----