

# DIN EN 14420-6:2013-09 (E)

## Hose fittings with clamp units - Part 6: TW tank truck couplings

---

<b>Contents</b>		<b>Page</b>
Foreword .....		3
<b>1</b>	<b>Scope .....</b>	<b>5</b>
<b>2</b>	<b>Normative references .....</b>	<b>5</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>6</b>
<b>4</b>	<b>Fitting combinations .....</b>	<b>6</b>
<b>5</b>	<b>Dimensions, designations .....</b>	<b>6</b>
<b>5.1</b>	<b>Hose fittings with TW couplings .....</b>	<b>6</b>
<b>5.2</b>	<b>Male coupling (type VK) .....</b>	<b>10</b>
<b>5.3</b>	<b>Female coupling (type MK) .....</b>	<b>15</b>
<b>5.4</b>	<b>Dust cap (type MB) .....</b>	<b>23</b>
<b>5.5</b>	<b>Dust plug (type VB) .....</b>	<b>27</b>
<b>6</b>	<b>Materials .....</b>	<b>31</b>
<b>6.1</b>	<b>General .....</b>	<b>31</b>
<b>6.2</b>	<b>Hose tail types MKST and VKST .....</b>	<b>31</b>
<b>6.3</b>	<b>Protecting rings of hose tail type MKST and VKST .....</b>	<b>31</b>
<b>6.4</b>	<b>Thread gasket of male coupling type VK .....</b>	<b>32</b>
<b>6.5</b>	<b>Fastening component of female coupling type MK .....</b>	<b>32</b>
<b>6.6</b>	<b>Main gasket of female coupling type MK .....</b>	<b>32</b>
<b>7</b>	<b>Design .....</b>	<b>32</b>
<b>8</b>	<b>Fitting of hose couplings .....</b>	<b>33</b>
<b>9</b>	<b>Marking .....</b>	<b>33</b>
<b>10</b>	<b>Type testing and quality control .....</b>	<b>33</b>
<b>Annex A (normative) Gauges for TW tank truck couplings .....</b>		<b>34</b>
<b>A.1</b>	<b>General .....</b>	<b>34</b>
<b>A.2</b>	<b>Design; designation, dimensions and materials .....</b>	<b>34</b>
<b>A.3</b>	<b>Marking .....</b>	<b>49</b>
<b>Bibliography .....</b>		<b>50</b>