

ISO/IEC 80079-49:2024-05 (E)

Explosive atmospheres - Part 49: Flame arresters - Performance requirements, test methods and limits for use

Contents	Page
FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	9
4 Abbreviated terms and symbols.....	13
5 Hazards and flame arrester classifications.....	14
5.1 Flame transmission classification: deflagration, stable and unstable detonation.....	14
5.2 Flame transmission classification: stabilized burning.....	15
5.3 Index of tests	15
6 General requirements	16
6.1 Measuring instruments.....	16
6.2 Flow measurement (air)	17
6.3 Flame transmission test.....	17
6.3.1 General	17
6.3.2 Test mixtures.....	17
7 Specific requirements for static flame arresters	19
7.1 Construction requirements for prototype arresters.....	19
7.2 Design series.....	19
7.3 Flame transmission tests	20
7.3.1 General	20
7.3.2 Deflagration test.....	21
7.3.3 Tests for detonation flame arresters	24
7.3.4 Short time burning test	30
7.3.5 Endurance burning test.....	33
8 Specific requirements for liquid product detonation flame arresters	34
8.1 Liquid seals	34
8.2 Foot valves	35
8.3 Flame transmission test.....	36
9 Specific requirements for dynamic flame arresters (high velocity vent valves).....	37
9.1 General.....	37
9.2 Flame transmission tests	37
9.2.1 Low flow flame transmission test	37
9.2.2 Flame transmission test by opening and closing	39
9.2.3 Deflagration test.....	40
9.2.4 Endurance burning test.....	40
10 Specific requirements for hydraulic flame arresters.....	41
10.1 Equipment	41
10.2 Flame transmission tests	41
10.2.1 General	41

10.2.2	Short time burning test	41
10.2.3	Deflagration test	41
10.2.4	Detonation test	42
11	Test of flame arresters installed on or within gas conveying equipment	44
11.1	General.....	44
11.2	Flame transmission tests	44
11.2.1	General	44
11.2.2	Test procedure for gas conveying equipment with inlet pressure > 600 hPa.....	46
11.2.3	Test procedure for gas conveying equipment with inlet pressure ≤ 600 hPa.....	47
12	Instructions.....	47
13	Marking	48
13.1	Location.....	48
13.2	Flame arrester housing	49
13.2.1	General information	49
13.2.2	Warning markings.....	49
13.2.3	Examples of marking	50
13.3	Flame arrester element.....	51
14	Manufacturing and production.....	51
14.1	Construction	51
14.2	Housing	51
14.3	Joints.....	51
14.4	Pressure test	51
14.5	Leak test.....	52
Annex A (normative)	Flow measurement.....	53
A.1	General.....	53
A.2	In-line flame arresters	54
A.3	End-of-line flame arrester	54
A.3.1	General	54
A.3.2	Special flow measurement for dynamic flame arresters.....	55
A.4	Undamped oscillation tests of dynamic flame arrester (High velocity vent valves).....	56
Annex B (informative)	Information for selecting flame arresters.....	58
Annex C (informative)	Recommended practice.....	59
Annex D (informative)	Evaluation of test results.....	60
Annex E (normative)	Application	62
E.1	General.....	62
E.2	Limits for use for static flame arresters	63
E.2.1	In-line flame arrester	63
E.2.2	Pre-volume flame arrester	63
E.2.3	Detonation flame arrester	63
E.2.4	Short time burn flame arrester	63
E.3	Limits for use for liquid detonation flame arresters	64
E.4	Limits for use for dynamic flame arresters (high velocity vent valves).....	64
E.5	Limits for use for hydraulic flame arresters.....	64
Annex F (informative)	Significant changes between this document and EN ISO 16852:2016.....	67
Bibliography	69

Figure 1 – Test apparatus for end-of-line flame arrester for deflagration test	21
Figure 2 – Test apparatus for in-line flame arrester for deflagration test.....	22
Figure 3 – Test apparatus for pre-volume flame arrester for deflagration test.....	24
Figure 4 – Test apparatus for detonation flame arrester for detonation without restriction.....	26
Figure 5 – Test apparatus for detonation flame arrester for detonation with restriction	28
Figure 6 – Test apparatus for short time burning test	31
Figure 7 – Test apparatus for endurance burning test	33
Figure 8 – Liquid product detonation flame arrester	35
Figure 9 – End-of-line flame arrester incorporating a non-return valve (foot valve).....	35
Figure 10 – Test apparatus for liquid product detonation flame arresters	36
Figure 11 – Test apparatus for determining the non-hammering conditions for dynamic flame arresters.....	39
Figure 12 – Test apparatus for hydraulic flame arresters.....	43
Figure 13 – Test apparatus for the flame transmission test of flame arresters installed on or within gas conveying equipment.....	45
Figure 14 – Example of marking plate, burn rating "a"	50
Figure 15 – Example of marking plate, burn rating "b"	50
Figure A.1 – Test apparatus for recording the pressure drop/flow rate curve for in-line flame arresters.....	54
Figure A.2 – Test apparatus for recording the pressure drop/flow rate curve for end-of-line flame arresters with or without integrated pressure/vacuum valve	56
Figure A.3 – Test apparatus for determining the non-oscillating conditions for dynamic flame arresters.....	57
Figure D.1 – Decision process for stable detonation arrester (DET3 and DET4).....	60
Figure D.2 – Decision process for unstable detonation arrester (DET1 and DET2).....	61
Figure E.1 – Test apparatus for hydraulic flame arresters	66
Table 1 – Flame arrester classification for deflagration, stable and unstable detonation.....	15
Table 2 – Summary of tests to be conducted.....	16
Table 3 – Specification of gas-air mixtures for deflagration and detonation tests.....	18
Table 4 – Specification of gas-air mixtures for short time burning tests and burning tests of dynamic flame arresters	18
Table 5 – Specification of gas-air or vapour-air mixtures for endurance burning tests of static flame arresters	19
Table 6 – Design series	20
Table 7 – Ratio p_{md}/p_{TB}	27
Table 8 – Number of the individual tests and test parameters for the flame transmission test of flame arresters installed on or within gas conveying equipment with inlet pressures > 600 hPa	46
Table 9 – Number of the individual tests and test parameters for the flame transmission test of flame arresters installed on or within gas conveying equipment with inlet pressures ≤ 600 hPa	47
Table B.1 – Information for selecting flame arresters	58
Table F.1 – Significant changes with respect to EN ISO 16852:2016	67