

DIN EN ISO 9493:2011-03 (E)

Geometrical product specifications (GPS) - Dimensional measuring equipment: Dial test indicators (lever type) - Design and metrological characteristics (ISO 9493:2010)

Contents		Page
Foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Design characteristics	6
4.1	General design features	6
4.2	Type	6
4.3	Nomenclature	8
4.4	Dovetail mounting	8
4.5	Dial and pointer	9
4.6	Stylus	10
4.7	Zero adjustment	11
4.8	Design characteristics (manufacturer's specification)	11
5	Metrological characteristics	11
5.1	Maximum permissible error (MPE) and maximum permissible limit (MPL) for a number of metrological characteristics	11
5.2	Stylus	12
5.3	Measuring forces	12
6	Proving of conformance with specification	12
6.1	General	12
6.2	Measurement standards for calibration of metrological characteristics	12
7	Marking	12
Annex A (informative) Examples of a diagram of errors of indication		13
Annex B (informative) Example of data sheet for dial test indicators		15
Annex C (informative) Calibration of metrological characteristics		17
Annex D (informative) Notes on use		19
Annex E (informative) Relation to the GPS matrix model		21
Bibliography		23