

# ISO 9493:2010-11 (E)

## Geometrical product specifications (GPS) - Dimensional measuring equipment: Dial test indicators (lever type) - Design and metrological characteristics

---

| <b>Contents</b>  |  | <b>Page</b> |
|--|--|-------------|
| Foreword .....   |  | iv          |
| Introduction .....   |  | v           |
| 1  | Scope .....  | 1           |
| 2  | Normative references .....   | 1           |
| 3  | Terms and definitions .....  | 1           |
| 4  | Design characteristics .....   | 2           |
| 4.1  | General design features .....  | 2           |
| 4.2  | Type .....   | 2           |
| 4.3  | Nomenclature .....   | 4           |
| 4.4  | Dovetail mounting .....  | 4           |
| 4.5  | Dial and pointer .....   | 5           |
| 4.6  | Stylus .....   | 6           |
| 4.7  | Zero adjustment .....  | 7           |
| 4.8  | Design characteristics (manufacturer's specification) .....  | 7           |
| 5  | Metrological characteristics .....   | 7           |
| 5.1  | Maximum permissible error (MPE) and maximum permissible limit (MPL) for a number of metrological characteristics ..... | 7           |
| 5.2  | Stylus .....   | 8           |
| 5.3  | Measuring forces .....   | 8           |
| 6  | Proving of conformance with specification .....  | 8           |
| 6.1  | General .....  | 8           |
| 6.2  | Measurement standards for calibration of metrological characteristics .....  | 8           |
| 7  | Marking .....  | 8           |
| Annex A (informative) Examples of a diagram of errors of indication .....  |  | 9           |
| Annex B (informative) Example of data sheet for dial test indicators ..... |  | 11          |
| Annex C (informative) Calibration of metrological characteristics .....    |  | 13          |
| Annex D (informative) Notes on use .....                                   |  | 15          |
| Annex E (informative) Relation to the GPS matrix model .....               |  | 17          |
| Bibliography .....   |  | 19          |