

# ISO 13385-2:2011-07 (E)

## Geometrical product specifications (GPS) - Dimensional measuring equipment - Part 2: Calliper depth gauges; Design and metrological characteristics

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Design characteristics .....</b>	<b>2</b>
<b>4.1</b>	<b>General design and nomenclature .....</b>	<b>2</b>
<b>4.2</b>	<b>Dimensions .....</b>	<b>3</b>
<b>4.3</b>	<b>Types of indicating devices .....</b>	<b>3</b>
<b>4.4</b>	<b>Measuring faces .....</b>	<b>6</b>
<b>5</b>	<b>Metrological characteristics .....</b>	<b>6</b>
<b>5.1</b>	<b>General .....</b>	<b>6</b>
<b>5.2</b>	<b>Effect of slider locking .....</b>	<b>6</b>
<b>5.3</b>	<b>Maximum permissible error of indication (limited by MPE) .....</b>	<b>6</b>
<b>5.4</b>	<b>MPE and MPL for a number of metrological characteristics .....</b>	<b>7</b>
<b>6</b>	<b>Indication in product documentation and data sheets .....</b>	<b>7</b>
<b>7</b>	<b>Proof of conformance with specifications .....</b>	<b>8</b>
<b>7.1</b>	<b>General .....</b>	<b>8</b>
<b>7.2</b>	<b>Measurement standards for the calibration of metrological characteristics .....</b>	<b>8</b>
<b>8</b>	<b>Marking .....</b>	<b>8</b>
<b>Annex A (informative)</b>	<b>Error tests .....</b>	<b>9</b>
<b>Annex B (informative)</b>	<b>Advice on application .....</b>	<b>11</b>
<b>Annex C (informative)</b>	<b>Data sheet (example) .....</b>	<b>12</b>
<b>Annex D (informative)</b>	<b>Calibration of metrological characteristics .....</b>	<b>13</b>
<b>Annex E (informative)</b>	<b>Relation to the GPS matrix model .....</b>	<b>14</b>
<b>Bibliography .....</b>		<b>16</b>