ISO 16792:2021 (E)

Technical product documentation — Digital product definition data practices

Contents

Foreword

Introduction

1 Scope

5

6

- 2 Normative references
- 3 Terms and definitions
 - 3.1 General terms and definitions
 - 3.2 Classification codes for drawings and data sets (see Annex B)
- 4 Data set identification and control
 - 4.1 General
 - 4.2 Related data
 - 4.3 Data management
 - Data set requirements
 - 5.1 General
 - 5.1.1 Introduction
 - 5.1.2 Fundamental requirements
 - 5.1.2.1 General
 - 5.1.2.2 Common to annotated models and drawings
 - 5.1.2.3 Applicable only to models
 - 5.1.2.4 Applicable only to drawings accompanied by 3D models
 - 5.1.3 Design model requirement (classification codes 3, 4 and 5)
 - 5.2 General model requirements
 - 5.2.1 Associativity
 - 5.2.2 Model coordinate systems
 - 5.2.3 Applications of supplemental geometry
 - 5.2.4 Part features not fully modelled
 - 5.3 General method requirements
 - 5.3.1 Data set methods
 - 5.3.2 Model-only method
 - 5.3.3 Model and drawing method
 - 5.4 Management data
 - 5.4.1 General
 - 5.4.2 Management data in the data set
 - 5.4.3 Management data on a model
 - 5.5 Protection marking
 - 5.5.1 General
 - 5.5.2 Location on models
 - 5.6 Saved views on models
 - 5.6.1 General
 - 5.6.2 Sections

Design model requirements

- 6.1 General
- 6.2 Geometric scale, units and precision
- 6.3 Model completeness
- 6.4 Assembly model completeness
- 6.5 Part reference numbers
- 6.6 Identification method
- 6.6.1 General
- 6.6.2 Colour

- 6.6.3 Greyscale
- 6.6.4 Mapping
- 6.6.5 Transparency
- 6.7 Installation model completeness

7 Common requirements for product definition data

- 7.1 General
- 7.2 Common requirements
- 7.3 Model requirements
- 7.3.1 General
- 7.3.2 Associativity
- 7.3.3 Attributes
- 7.3.4 Annotation planes
- 7.3.5 Leader lines
- 7.3.6 Direction-dependent specifications
- 7.3.7 Indicating of restricted area
- 7.3.8 Query types
- 7.4 Drawing requirements
- 7.4.1 General
- 7.4.2 Orthographic views
- 7.4.3 Axonometric views

8 Notes and special notations

- 8.1 Common requirements
- 8.2 Model requirements
- 8.3 Drawing requirements

9 Model values and dimensions

- 9.1 General
- 9.2 Common requirements
- 9.2.1 Model value queries
- 9.2.2 Resolved dimensions
- 9.3 Model requirements
- 9.3.1 General
- 9.3.2 Theoretically exact dimensions (TEDs)
- 9.3.3 Size values
- 9.3.4 Examples of general applications
- 9.3.5 Chamfers
- 9.3.6 Depth specification
- 9.4 Drawing requirements for axonometric views

10 Datum applications

- 10.1 General
- 10.2 Model requirements
- 10.2.1 Datum systems and model coordinate systems
- 10.2.1.1 Introduction
- 10.2.1.2 Datum system and coordinate system correspondence
- 10.2.1.3 Display link between datum system and coordinate system
- 10.2.2 Identification of datums
- 10.2.3 Identification of restricted area application
- 10.2.4 Associativity of datum features and design data
- 10.2.5 Datum target identification and attachment
- 10.2.6 Multiple features establishing a datum
- 10.3 Drawing requirements
- 11 Geometric tolerances
 - 11.1 General
 - 11.2 Drawing requirements
 - 11.2.1 General
- 12 Welds
 - 12.1 General
 - 12.2 Common requirements
 - 12.2.1 Application of supplemental geometry

- 12.2.2 Arrow lines
- 12.3 Model requirements
- 12.3.1 Annotation plane
- 12.3.2 Associativity
- 12.3.3 Indicating extents of the weld
- 12.3.4 Query of weld path
- 12.4 Drawing requirements

Surface texture

13

13.1 General

- 13.2 Common requirements
- 13.3 Model requirements
- 13.3.1 Display techniques
- 13.3.2 Associativity

Annex A (informative) Former practices

- A.1 General
- A.2 Direction-dependant tolerances
- A.2.1 General
- A.2.2 Represented line element
- A.3 Orientation tolerances

Annex B (informative) Classification codes for drawings and data sets

- B.1 General
- B.2 Application
- B.3 Definitions
- B.4 Classification code requirements
- B.4.1 General
- B.4.2 Classification code location
- B.4.3 Classification code 1
- B.4.4 Classification code 2
- B.4.5 Classification code 3
- B.4.6 Classification code 4
- B.4.7 Classification code 5

Annex C (informative) Examples

- C.1 General
- C.2 Examples
- C.2.1 Usage of "between" symbol
- C.2.2 All-around application
- C.2.3 Conical surface and surface of revolution

Page count: 76