

# ISO 3966:2025-07 (E)

## Measurement of fluid flow in closed conduits - Velocity area method using Pitot static tubes

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and symbols .....</b>	<b>1</b>
3.1	Terms and definitions .....	1
3.2	Symbols .....	2
<b>4</b>	<b>Principle .....</b>	<b>3</b>
4.1	General principle .....	3
4.1.1	Graphical integration of the velocity area (see Clause 9) .....	4
4.1.2	Numerical integration of the velocity area (see Clause 10) .....	4
4.1.3	Arithmetical methods (see Clause 11) .....	4
4.2	Measurement of the measuring cross-section .....	4
4.2.1	Circular cross-sections .....	4
4.2.2	Rectangular cross-sections .....	4
4.3	Measurement of local velocities .....	5
4.3.1	Method of exploring traverse section .....	5
4.3.2	Reference measurement .....	5
4.3.3	Checking of velocity distribution .....	5
4.4	Location and number of measuring points in the cross-section .....	6
4.4.1	General requirements .....	6
4.4.2	Circular cross-sections .....	6
4.4.3	Rectangular cross-sections .....	6
<b>5</b>	<b>Design of Pitot tubes .....</b>	<b>6</b>
5.1	General description .....	6
5.2	Criteria to be fulfilled by the Pitot tube .....	7
<b>6</b>	<b>Requirements for use of Pitot tubes .....</b>	<b>8</b>
6.1	Selection of the measuring cross-section .....	8
6.1.1	Location of the measuring cross-section (of selection) .....	8
6.1.2	Avoidance of asymmetry, swirl and turbulences .....	8
6.1.3	Maximum flow deviation .....	8
6.1.4	Measuring cross-sectional velocity distribution .....	8
6.1.5	Measuring cross-sectional temperature distribution .....	10
6.1.6	Preliminary traverse tests .....	10
6.2	Devices for improving flow conditions .....	10
6.2.1	Anti-swirl device .....	10
6.2.2	Profile developer .....	12
6.2.3	Turning vanes .....	13
6.2.4	Static mixer .....	14
6.2.5	Positioning/Location of devices .....	16
6.2.6	Provisional guiding installation .....	16
6.3	Limits of use .....	16
6.3.1	Nature of the fluid .....	16
6.3.2	Range of velocities .....	16
6.3.3	Nature of the flow .....	17
6.3.4	Dimensional limitations .....	17

6.3.5	Influence of turbulence .....	17
6.4	Performance of measurements .....	17
6.4.1	Measurement of differential pressure .....	17
6.4.2	Differential pressure fluctuations .....	17
6.4.3	Determination of fluid density .....	18
6.5	Inspection and maintenance of the Pitot tube .....	18
7	Positioning of Pitot tube .....	18
8	Velocity computation .....	18
8.1	Verification of conditions for a measurement .....	18
8.2	Formulae for velocity computation .....	19
9	Determination of the discharge velocity by graphical integration of the velocity area .....	21
9.1	Circular cross-section .....	21
9.2	Rectangular cross-sections .....	23
10	Determination of the discharge velocity by numerical integration of the velocity area .....	24
10.1	Circular cross-sections .....	25
10.2	Rectangular cross-sections .....	27
11	Determination of the discharge velocity by arithmetic methods .....	27
11.1	"Log-linear" method .....	28
11.1.1	Circular cross-sections .....	28
11.1.2	Rectangular cross-sections .....	28
11.2	Log-Chebyshev method .....	29
11.2.1	Circular cross-sections .....	29
11.2.2	Rectangular cross-sections .....	30
12	Corrections of local velocity measurements .....	31
12.1	Correction for stem blockage .....	31
12.1.1	Case where the correction can be neglected .....	31
12.1.2	Estimation of the correction of local velocity measurement .....	31
12.1.3	Estimation of the overall correction of the flow-rate value (application to arithmetic methods) .....	32
12.2	Correction for transverse velocity gradient .....	33
12.2.1	Correction for measuring point position .....	34
12.2.2	Overall correction of flow rate .....	34
12.3	Correction for turbulence .....	35
12.4	Correction for head loss .....	36
13	Errors .....	36
13.1	Definition of the error .....	36
13.2	Errors in the estimation of the local velocity .....	36
13.2.1	Random errors .....	36
13.2.2	Systematic errors .....	37
13.3	Errors in the estimation of flow rate .....	38
13.3.1	Random errors .....	38
13.3.2	Systematic errors .....	38
13.4	Definition of the standard uncertainty .....	39
13.5	Definition of the expanded uncertainty .....	39
13.6	Calculation of standard uncertainty .....	40
13.6.1	Standard uncertainty on local velocity measurement .....	40
13.6.2	Standard uncertainty on flow-rate measurement .....	41
Annex A (normative)	Pitot tubes .....	42
Annex B (normative)	Correction to the measuring position of Pitot tubes used in a transverse velocity gradient .....	48
Annex C (normative)	Study concerning turbulence correction .....	50

<b>Annex D (normative) Damping of pressure gauges .....</b>	<b>53</b>
<b>Annex E (normative) Measurements with a Pitot tube in a compressible fluid .....</b>	<b>55</b>
<b>Annex F (normative) Determination of coefficient m for extrapolation near the wall .....</b>	<b>59</b>
<b>Annex G (informative) Example of calculation of the uncertainty on the flow-rate measurement by means of Pitot tubes .....</b>	<b>60</b>
<b>Bibliography .....</b>	<b>63</b>