

DIN EN 15433-4:2008-02 (E)

Transportation loads - Measurement and evaluation of dynamic mechanical loads - Part 4: Data evaluation

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | 5 |
| Introduction | | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 9 |
| 3 | Measured signals | 9 |
| 3.1 | Instantaneous values | 9 |
| 3.2 | Average values | 9 |
| 3.2.1 | General | 9 |
| 3.2.2 | Instruments and software | 10 |
| 3.2.3 | Types of averaging | 10 |
| 3.2.4 | Averaging time and sampling errors | 10 |
| 3.3 | Synchronous averaging | 11 |
| 3.3.1 | General | 11 |
| 3.3.2 | Instruments and software | 12 |
| 3.3.3 | Triggering procedures | 12 |
| 3.3.4 | Signal-to-noise enhancement | 12 |
| 3.4 | Filtered signals | 13 |
| 3.4.1 | General | 13 |
| 3.4.2 | Analogue filtering | 13 |
| 3.4.3 | Digital filtering | 14 |
| 4 | Data classification | 14 |
| 4.1 | General | 14 |
| 4.2 | Time dependence | 14 |
| 4.2.1 | General | 14 |
| 4.2.2 | Stationary or steady-state data | 14 |
| 4.2.3 | Non-stationary data | 15 |
| 4.2.4 | Transient data | 16 |
| 4.2.5 | Physical considerations | 16 |
| 4.3 | Randomness | 17 |
| 4.3.1 | General | 17 |
| 4.3.2 | Identification of periodic components | 17 |
| 4.3.3 | Separation of random and periodic components | 17 |
| 4.4 | Normality | 18 |
| 4.4.1 | General | 18 |
| 4.4.2 | Test for normality | 18 |
| 4.4.3 | Spurious deviations from normality | 18 |
| 5 | Single channel spectral analysis/periodic and random data | 18 |
| 5.1 | FFT algorithms | 19 |
| 5.1.1 | General | 19 |
| 5.1.2 | Number of data values | 19 |
| 5.1.3 | Redundant components | 19 |
| 5.1.4 | Leakage and tapering | 20 |
| 5.1.5 | Spectral bandwidth | 21 |
| 5.2 | Periodic data | 22 |
| 5.2.1 | General | 22 |

| | | |
|--------|---|----|
| 5.2.2 | Instruments and software | 22 |
| 5.2.3 | Anti-aliasing filters | 23 |
| 5.2.4 | Leakage and tapering | 23 |
| 5.2.5 | Frequency resolution | 23 |
| 5.2.6 | Resolution error corrections | 23 |
| 5.2.7 | Statistical sampling errors | 25 |
| 5.2.8 | Plotting | 25 |
| 5.3 | Stationary random data | 25 |
| 5.3.1 | General | 25 |
| 5.3.2 | Instruments and software | 27 |
| 5.3.3 | Anti-aliasing filters | 27 |
| 5.3.4 | Leakage and tapering | 27 |
| 5.3.5 | Frequency resolution | 27 |
| 5.3.6 | Resolution error corrections | 29 |
| 5.3.7 | Statistical sampling errors | 29 |
| 5.3.8 | Overlapped processing | 30 |
| 5.3.9 | Zoom transforms | 31 |
| 5.3.10 | Plotting | 31 |
| 5.4 | Non-stationary data | 31 |
| 5.4.1 | General | 31 |
| 5.4.2 | Random signals | 31 |
| 5.4.3 | Time codes | 32 |
| 5.5 | Proportional bandwidth spectra | 33 |
| 5.5.1 | General | 33 |
| 5.5.2 | 1/3-octave band spectra | 33 |
| 5.5.3 | Other proportional bandwidth spectra | 33 |
| 6 | Single channel spectral analysis/transient data | 33 |
| 6.1 | General | 33 |
| 6.2 | Fourier spectra | 34 |
| 6.2.1 | General | 34 |
| 6.2.2 | Instruments and software | 34 |
| 6.2.3 | Anti-aliasing filters | 34 |
| 6.2.4 | Leakage and tapering | 34 |
| 6.2.5 | Frequency resolution | 35 |
| 6.2.6 | Resolution error corrections | 35 |
| 6.2.7 | Statistical sampling errors | 36 |
| 6.2.8 | Plotting | 36 |
| 6.3 | Energy spectra | 36 |
| 6.3.1 | General | 36 |
| 6.3.2 | Instruments and software | 37 |
| 6.3.3 | Anti-aliasing filters | 37 |
| 6.3.4 | Leakage and tapering | 37 |
| 6.3.5 | Frequency resolution | 37 |
| 6.3.6 | Resolution error corrections | 37 |
| 6.3.7 | Statistical sampling errors | 37 |
| 6.3.8 | Plotting | 37 |
| 6.4 | Shock response spectra (SRS) | 37 |
| 6.4.1 | General | 37 |
| 6.4.2 | Interpretation of SRS results | 40 |
| 6.4.3 | Presentation of SRS results | 40 |
| 6.4.4 | Instruments and software | 41 |
| 6.4.5 | Anti-aliasing filters | 41 |
| 6.4.6 | Sampling rate | 41 |
| 6.4.7 | Truncation error | 41 |
| 6.4.8 | Initial conditions | 41 |
| 6.4.9 | Frequency resolution | 41 |
| 6.4.10 | Resolution error corrections | 41 |
| 6.4.11 | Statistical sampling errors | 42 |
| 6.4.12 | Plotting | 42 |
| 6.4.13 | Other SRS computations | 42 |

| | | |
|--------|--|----|
| 7 | Dual channel analysis | 43 |
| 7.1 | General | 43 |
| 7.2 | Cross-spectra | 43 |
| 7.2.1 | General | 43 |
| 7.2.2 | Instruments and software | 44 |
| 7.2.3 | Anti-aliasing filters | 44 |
| 7.2.4 | Leakage and tapering | 44 |
| 7.2.5 | Frequency resolution | 45 |
| 7.2.6 | Resolution error corrections | 45 |
| 7.2.7 | Time delay bias error | 45 |
| 7.2.8 | Multiple path (reverberation) bias error | 46 |
| 7.2.9 | Statistical sampling errors | 46 |
| 7.2.10 | Overlapped processing | 47 |
| 7.2.11 | Zoom transforms | 47 |
| 7.2.12 | Plotting | 47 |
| 7.3 | Coherence | 47 |
| 7.3.1 | General | 47 |
| 7.3.2 | Instruments and software | 48 |
| 7.3.3 | Anti-aliasing filters | 48 |
| 7.3.4 | Leakage and tapering | 48 |
| 7.3.5 | Frequency resolution | 48 |
| 7.3.6 | Time delay bias errors | 48 |
| 7.3.7 | Multiple path (reverberation) errors | 49 |
| 7.3.8 | Statistical sampling errors | 49 |
| 7.3.9 | Overlapped processing | 50 |
| 7.3.10 | Zoom transforms | 50 |
| 7.3.11 | Plotting | 50 |
| 7.4 | Frequency response | 50 |
| 7.4.1 | General | 50 |
| 7.4.2 | Instruments and software | 51 |
| 7.4.3 | Anti-aliasing filters | 51 |
| 7.4.4 | Leakage and tapering | 51 |
| 7.4.5 | Frequency resolution | 51 |
| 7.4.6 | Statistical sampling errors | 51 |
| 7.4.7 | Overlapped processing | 52 |
| 7.4.8 | Zoom transforms | 52 |
| 7.4.9 | Plotting | 52 |
| 7.5 | Cross-correlation | 52 |
| 7.5.1 | General | 52 |
| 7.5.2 | Instruments and software | 53 |
| 7.5.3 | Anti-aliasing filters | 53 |
| 7.5.4 | Leakage and tapering | 53 |
| 7.5.5 | Time resolution | 53 |
| 7.5.6 | Time delay bias error | 53 |
| 7.5.7 | Statistical sampling errors | 54 |
| 7.5.8 | Overlapped processing | 54 |
| 7.5.9 | Plotting | 54 |
| 7.6 | Correlation coefficient | 54 |
| 7.7 | Unit impulse response | 55 |
| 8 | Other analysis | 55 |
| 8.1 | General | 55 |
| 8.2 | Probability density | 55 |
| 8.2.1 | General | 55 |
| 8.2.2 | Instantaneous probability density | 55 |
| 8.2.3 | Peak probability density | 56 |
| | Bibliography | 59 |