DIN EN 15719:2010-04 (E)

Sanitary appliances - Baths made from impact modified coextruded ABS/acrylic sheets - Requirements and test methods

Contents

Page

Foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 5

4 Requirements 5
4.1 General 5
4.2 Material 5
4.3 Surface appearance 5
4.4 Waste outlet hole 6
4.5 Overflow hole 6
4.6 Hole edges 6
4.7 Bath-mounted tapware 6
4.8 Handgrips 6
4.9 Dimensional deviations 6
4.10 Geometric deviations 6
4.10.1 General 6
4.10.2 Squaring 6
4.10.3 Straightness of the rim sides 6
4.10.4 Straightness of the bottom edge of the rim 7
4.10.5 Flatness of the top surface of the rim 7
4.11 Bottom of the bath 7
4.12 Resistance to temperature changes 7
4.13 Resistance to impact 7
4.14 Permitted deflections 7
4.15 Bath rims 8
4.16 Surface mechanical resistance 8
4.17 Chemical and stain resistance 8

5 Marking 8

Annex A (normative) Bath test methods 9

A.1 Sequence of tests 9
A.2 Geometric deviations 9
A.2.1 Test apparatus 9
A.2.2 Squaring 9
A.2.3 Straightness of the rim side 10
A.2.4 Straightness of the bottom edge of the rim 11
A.2.5 Flatness of the top surface of the rim 12
A.3 Resistance to temperature change 13
A.3.1 Test apparatus 13
A.3.2 Procedure 13
A.4 Resistance to impact 14
A.4.1 Test apparatus 14
A.4.2 Test procedure 15
A.5 Determination of deflections 15
A.5.1 General 15

A.5.2 Test apparatus 15
A.5.3 Installation methods 16
A.5.4 Preloading 18
A.5.5 Deflection test 1 - Deflection of the rim and the bottom due to a load on the bottom 18
A.5.6 Deflection test 2 - Deflection of the bottom and rim due to a load on the bottom 19
A.5.7 Deflection test 3 - Deflection of the rim due to a load on the long side of the rim 21
A.5.8 Deflection test 4 - Deflection of the rim due to a load on the end of the bath 22
A.6 Handgrip tests 23
A.6.1 General 23
A.6.2 Test apparatus 23
A.6.3 Procedure 23
A.7 Resistance to scratching 23
A.7.1 Test apparatus 23
A.7.2 Test specimen 24
A.7.3 Procedure 24

Bibliography 26