

ISO 14388-2:2014-08 (E)

Soil quality - Acid-base accounting procedure for acid sulfate soils - Part 2: Chromium reducible sulfur (CRS) methodology

| Contents | | Page |
|--------------------|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Principle | 2 |
| 4.1 | Potential sulfidic acidity | 2 |
| 4.2 | Actual acidity and retained acidity | 2 |
| 4.3 | Acid neutralizing capacity | 2 |
| 5 | Reagents for analysis of chromium reducible sulfur | 2 |
| 6 | Apparatus | 4 |
| 7 | Procedure for determining chromium reducible sulfur | 5 |
| 8 | Calculation of SCR | 7 |
| 9 | Reagents for determination of pHKCl and TAA | 8 |
| 10 | Procedure for determination of pHKCl and TAA | 9 |
| 10.1 | Preparation of the suspension | 9 |
| 10.2 | Measurement of pHKCl | 9 |
| 10.3 | Measurement of TAA | 10 |
| 11 | Calculation of TAA | 11 |
| 12 | Procedure for determination of sulfur (SKCl), calcium (CaKCl), and magnesium (MgKCl) extractable with 1 mol/l potassium chloride | 11 |
| 13 | Calculation of SKCl, CaKCl, and MgKCl | 12 |
| 14 | Reagents for determination of sulfur (SHCl), calcium (CaHCl), and magnesium (MgHCl) extractable with hydrochloric acid | 12 |
| 15 | Procedure for determination of sulfur (SHCl), calcium (CaHCl), and magnesium (MgHCl) extractable with hydrochloric acid | 12 |
| 16 | Calculation of net acid-soluble sulfur (SNAS), calcium (CaNAS), and magnesium (MgNAS) | 13 |
| 17 | Reagents for determining acid neutralizing capacity by back-titration (ANCBT) | 13 |
| 18 | Procedure for determining acid neutralizing capacity by back-titration (ANCBT) | 14 |
| 18.1 | Hotplate digestion with hydrochloric acid solution | 14 |
| 18.2 | Titration of unreacted acid in digested soil suspension | 14 |

| | | |
|----|--|----|
| 19 | Alternatives for determination of acid neutralizing capacity | 15 |
| 20 | Precision | 15 |
| 21 | Test report | 16 |
| | Bibliography | 18 |