ISO/TS 16780:2015-08 (E)

Water quality - Determination of polychlorinated naphthalenes (PCN) - Method using gas chromatography (GC) and mass spectrometr y (MS)

Contents

Page

Foreword ..... **v**

1 Scope **1**

2 Normative references **1**

3 Terms, definitions, and abbreviated terms **2**
3.1 Terms and definitions 2
3.2 Abbreviated terms 6

4 Principle **6**
4.1 Extraction 6
4.2 Clean-up 7
4.3 Identification and quantification 7
4.4 Quality 8

5 Contamination and interferences **8**

6 Reagents and standards **10**

7 Apparatus and materials **16**

8 Sample collection, preservation, storage and holding times **19**
8.1 General 19
8.2 Storage times 19

9 Quality assurance and quality control **20**
9.1 General 20
9.2 Spiking 20
9.3 Recovery of labelled compounds assessment 21
9.4 Method blanks 21
9.5 QC check sample 21

10 Calibration **21**
10.1 Operating conditions 21
10.2 Mass spectrometer resolution 22
10.3 Ion abundance ratios, minimum levels, signal-to-noise ratios, and absolute retention times 22
10.4 Retention time 22
10.5 Column resolution performance check 23
10.6 Calibration by isotope dilution 23
10.7 Calibration by internal standard 23
10.8 Combined calibration 24
10.8.1 General 24
10.8.2 Data storage 24
10.8.3 Data acquisition 24
10.8.4 Response factors and multipoint calibrations 24

11 Sample preparation **25**
11.1 General 25
11.2 Determination of solid particulate material 25
11.3 Preparation of aqueous samples containing 2 g/l of solid particulate material or less 25
11.3.1 General 25
11.3.2 Preparation of sample and QC aliquots 26
11.3.3 Filtration of particles 26

12 Extraction **26**
12.1 Separating funnel extraction of filtrates and of aqueous samples that are visibly absent of particles 26
12.2 Solid phase extraction (SPE) of samples containing less than 2 g/l suspended particulate matter 27
12.2.1 Disk/cartridge preparation 27
12.2.2 Sample extraction 27
12.3 Soxhlet or PLE extraction of filters or disks 28
12.4 Macro-concentration 28
12.4.1 General 28
12.4.2 Rotary evaporation 28
12.4.3 Heating mantle 29
12.4.4 Kuderna-Danish (K-D) 29
12.5 Micro-concentration and solvent exchange 31

13 Extract clean-up **31**
13.1 General 31
13.2 Back-extraction with acid and base 32
13.3 Gel permeation chromatography (GPC) 32
13.3.1 Column packing 32
13.3.2 Column calibration 32
13.3.3 Extract clean-up 33
13.4 Silica clean-up 33
13.5 Carbon column 34
13.6 Florisil clean-up 34
13.7 Silver nitrate–silica column 34

14 HRGC–HRMS analysis **35**
14.1 General 35
14.2 MS resolution 35
14.3 Calibration verification 35
14.4 GC resolution 35
14.5 Blank 35

15 Qualitative determination **36**

16 Quantitative determination **36**
16.1 Isotope dilution quantification 36
16.2 Internal standard quantification 37
16.3 Determination of labelled compound recovery 37
16.4 Concentration in sample 38
16.4.1 General 38
16.4.2 Treatment of samples exceeding calibration range 38
16.5 Results and reporting 38

17 Test report **39**

Annex A (informative) **Use of alternate mass spectrometry detectors (LRMS, MS–MS)** **40**

Annex B (informative) **Quality control and initial precision and recovery** **43**

Annex C (informative) **Calculation of toxic equivalents** **45**

Annex D (informative) **Pollution prevention** **46**

Annex E (informative) **Waste management** **47**

Bibliography **48**