

# DIN EN ISO 15009:2016-07 (E)

## Soil quality - Gas chromatographic determination of the content of volatile aromatic hydrocarbons, naphthalene and volatile halogenated hydrocarbons - Purge-and-trap method with thermal desorption (ISO 15009:2016)

---

<b>Contents</b>		Page
<b>European foreword</b>		<b>3</b>
<b>Foreword</b>		<b>4</b>
<b>1 Scope</b>		<b>5</b>
<b>2 Normative references</b>		<b>5</b>
<b>3 Principle</b>		<b>6</b>
<b>4 Reagents</b>		<b>6</b>
4.1	Water, free of volatile aromatic and volatile halogenated hydrocarbons	6
4.2	Internal standards	6
4.3	Standard compounds	7
4.3.1	Volatile aromatic hydrocarbons	7
4.3.2	Volatile halogenated hydrocarbons	7
4.4	Methanol	8
4.5	Adsorbing agent	8
4.6	Cooling water for purge and trap	8
4.7	Inert gas for the gas chromatograph	9
4.8	Nitrogen or helium as inert gas for the purge equipment	9
4.9	Standard solutions	9
4.9.1	Standard stock solutions for volatile aromatic and halogenated compounds in methanol, 4 g/l	9
4.9.2	Internal standard solutions in methanol, 4 g/l	9
4.9.3	Calibration solutions	9
4.10	Methanol containing internal standards	10
<b>5 Apparatus</b>		<b>10</b>
<b>6 Sampling, preservation and sample pretreatment</b>		<b>11</b>
6.1	General	11
6.2	Sampling using vials pre-filled with methanol	12
6.3	Sampling using coring tube method	12
<b>7 Procedure</b>		<b>12</b>
7.1	Blank determination	12
7.2	Extraction	13
7.3	Purge and trap	13
7.4	Gas chromatographic analysis	13
7.4.1	Gas chromatographic conditions	13
7.4.2	Calibration	14
7.4.3	Measurement	14
<b>8 Calculation</b>		<b>16</b>
8.1	Calculation of the concentration of a volatile compound in the water sample	16
8.2	Calculation of the concentration of a volatile compound in the soil sample	16

<b>9</b>	<b>Expression of results</b> .....	<b>17</b>
<b>10</b>	<b>Precision</b> .....	<b>17</b>
<b>11</b>	<b>Test report</b> .....	<b>17</b>
<b>Annex A</b>	<b>(informative) Relative retention time with respect to ethylbenzene-D10 of volatile aromatic hydrocarbons and volatile halogenated hydrocarbons on following columns: CP-Sil 5 CB and CP-Sil 13 CB</b> .....	<b>18</b>
<b>Annex B</b>	<b>(normative) Check on internal standards</b> .....	<b>20</b>
<b>Annex C</b>	<b>(informative) Validation</b> .....	<b>21</b>
<b>Annex D</b>	<b>(informative) Information on purge and trap instruments</b> .....	<b>24</b>