

DIN EN ISO 9696:2018-04 (E)

Water quality - Gross alpha activity - Test method using thick source (ISO 9696:2017)

| Contents | Page |
|---|-------------|
| European foreword..... | 3 |
| Foreword..... | 4 |
| Introduction..... | 5 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 7 |
| 4 Symbols | 8 |
| 5 Principle | 8 |
| 6 Reagents and equipment | 9 |
| 6.1 Reagents..... | 9 |
| 6.2 Equipment..... | 10 |
| 7 Procedure | 10 |
| 7.1 Sampling..... | 11 |
| 7.2 Pretreatment..... | 11 |
| 7.3 Concentration stage..... | 11 |
| 7.4 Sulfation stage..... | 11 |
| 7.5 Ignition stage..... | 12 |
| 7.6 Source preparation..... | 12 |
| 7.7 Measurement..... | 12 |
| 7.8 Background determination..... | 12 |
| 7.9 Preparation of the calibration source..... | 12 |
| 7.10 Sensitivity and bias..... | 13 |
| 7.11 Optimization of the determination..... | 13 |
| 8 Contamination check | 14 |
| 8.1 General..... | 14 |
| 8.2 Radon isotopes losses..... | 14 |
| 8.3 Polonium losses..... | 14 |
| 9 Expression of results | 14 |
| 9.1 Calculation of activity concentration..... | 14 |
| 9.2 Standard uncertainty..... | 15 |
| 9.3 Decision threshold..... | 15 |
| 9.4 Detection limit..... | 16 |
| 9.5 Confidence-interval limits..... | 16 |
| 10 Test report | 16 |
| Annex A (informative) Performance criteria | 18 |
| Bibliography | 19 |