DIN EN 16932-2:2018-07 (E)

Drain and sewer systems outside buildings - Pumping systems - Part 2: Positive pressure systems

Contents

Page

European foreword 4

1 Scope 5

2 Normative references 5

3 Terms and definitions 5

4 Symbols and units 7

5 General 8

6 Planning of positive pressure systems 8
6.1 Type of pumping station 8
6.1.1 Introduction 8
6.1.2 Pumping stations with submersible pumps 9
6.1.3 Pumping stations with dry installed pumps 11
6.1.4 Other types of pumping stations 11
6.2 Selection of type of pumping station 12
6.3 Route and profile of rising mains 12

7 Hydraulic design of pumping systems 13
7.1 Introduction 13
7.2 Establish inflow rates 15
7.2.1 Foul wastewater pumping stations 15
7.2.2 Surface water pumping installations 15
7.2.3 Combined sewer pumping stations 15
7.3 Select desired pump flow rates 15
7.4 Dimensioning collection tank 15
7.5 Select rising main diameter 16
7.5.1 Pumping stations 16
7.5.2 Pressure sewer systems 17
7.6 Retention period 17
7.7 Calculation of system characteristics 18
7.7.1 System head calculation 18
7.7.2 Pressure sewer systems 20
7.8 Selection of pump units and duty points 20
7.9 Check pressure transients (waterhammer) 22

8 Detailed design of pumping stations 23
8.1 General 23
8.2 Layout 23
8.3 Collection tank 24
8.4 Pump units 25
8.4.1 Pumps 25
8.4.2 Air compressor units 25
8.5 Controls and electrical equipment and instrumentation 25

9 Septicity 26
9.1 General 26
9.2 Control of septicity 27

9.2.1 General 27
9.2.2 Limiting retention period 27
9.2.3 Air flushing 27
9.2.4 Chemical treatment 28
9.2.5 Hydrogen sulphide stripping 28
9.2.6 Dilution of the septic wastewater in fresh wastewater 28

10 Testing and verification 28
10.1 Pumping stations 28
10.2 Rising mains 28
10.3 Commissioning 28

11 Operation and maintenance manual 29

Bibliography 30