

# DIN EN ISO 7393-2:2019-03 (E)

Water quality - Determination of free chlorine and total chlorine - Part 2: Colorimetric method using N,N-dialkyl-1,4-phenylenediamine, for routine control purposes (ISO 7393-2:2017)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Foreword .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	7
4	Principle .....	7
4.1	Determination of free chlorine .....	7
4.2	Determination of total chlorine .....	8
5	Interferences .....	8
5.1	General .....	8
5.2	Interference by other chlorine compounds .....	8
5.3	Interference by compounds other than chlorine compounds .....	8
5.4	Interference due to the presence of oxidized manganese .....	8
5.5	Interference due to turbid and coloured samples .....	9
6	Reagents .....	9
7	Apparatus .....	11
8	Sampling .....	12
9	Procedure .....	12
9.1	Test sample .....	12
9.2	Test portions .....	12
9.3	Calibration .....	12
9.4	Determination of free chlorine .....	12
9.5	Determination of total chlorine .....	13
10	Calculation .....	14
10.1	Calculation of the free chlorine concentration .....	14
10.2	Calculation of the total chlorine concentration .....	14
10.3	Conversion of amount of substance concentration to mass concentration .....	14
11	Expression of results .....	14
12	Test report .....	14
Annex A (informative)	Separate determinations of combined chlorine of the monochloramine type, combined chlorine of the dichloramine type and of combined chlorine in the form of nitrogen trichloride .....	16
A.1	Applicability .....	16
A.2	Principle .....	16

A.3	Reagents .....	16
A.4	Apparatus .....	16
A.5	Procedure .....	16
A.5.1	Test sample .....	16
A.5.2	Test portions .....	16
A.5.3	Calibration .....	17
A.5.4	Determination of free chlorine and combined chlorine of the monochloramine type .....	17
A.5.5	Determination of free chlorine, combined chlorine of the monochloramine type and one half of the nitrogen trichloride .....	17
A.6	Expression of results .....	17
A.6.1	Method of calculation .....	17
A.6.2	Conversion of amount of substance concentration to mass concentration .....	18
Annex B (informative) Performance data .....		19
B.1	Performance data for the method described in the main part of this document .....	19
B.2	Performance data for the method described in Annex C .....	21
Annex C (informative) Disposable planar reagent-filled cuvettes using a mesofluidic channel pump/colorimeter .....		22
C.1	General .....	22
C.2	Principle .....	22
C.2.1	Determination of free chlorine .....	22
C.2.2	Determination of total chlorine .....	22
C.3	Reagents .....	22
C.4	Apparatus .....	22
C.5	Procedure .....	22
C.5.1	Test sample .....	22
C.5.2	Calibration verification and adjustment .....	23
C.5.3	Determination of free chlorine .....	23
C.5.4	Determination of total chlorine .....	23
C.6	Calculation .....	23
C.7	Results of a validation trial .....	23
Bibliography .....		24