ISO 6416:2017-10 (E)

Hydrometry - Measurement of discharge by the ultrasonic transit time (time of flight) method

Contents

Page

Foreword v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Applications 1
4.1 Types of applications 1
4.2 Attributes and limitations 2

5 Method of measurement 2
5.1 Discharge 2
5.2 Calculation of discharge from the transit-time measurement 3

6 Flow velocity determination by the ultrasonic (transit time) method 3
6.1 Principle 3
6.2 Sound propagation in water 5
6.2.1 General 5
6.2.2 Speed of sound in water 6
6.2.3 Propagation losses 6
6.2.4 Signal path bending 8
6.2.5 Reflection 9

7 Gauge configuration 10
7.1 General 10
7.2 Single-path systems 10
7.3 Multi-path systems 11
7.4 Crossed-path systems 11
7.5 Reflected-path systems 13
7.6 Systems using transponders 14
7.7 Wireless systems (if a cable crossing is not possible) 15
7.8 Systems using divided cross-sections 16
7.9 Sloping paths 16

8 Determination of discharge 17
8.1 Single-path systems 17
8.2 Multi-path systems 18
8.2.1 General 18
8.2.2 Mid-section method 19
8.2.3 Mean-section method 20
8.3 Systems with transducers in the channel 21

9 System verification and calibration 22

10 Site selection 23

11 Site survey -- Before design and construction 23
11.1 General 23
11.2 Visual survey 23

11.3 Survey of the cross-section 24
11.4 Survey of velocity distribution 24
11.5 Survey of signal propagation 24

12 Operational measurement requirements 24
12.1 General 24
12.2 Basic components of flow determination 25
12.3 Water velocity determination 25
12.4 Determination of water stage or depth 25
12.5 Determination of mean bed level 26
12.6 Channel width 27

13 Gauging station equipment 27

13.1 General 27
13.2 Design and construction of equipment 28
13.2.1 Transducers 28
13.2.2 Transducer cables 29
13.3 Reflectors 29
13.4 Civil engineering works 32
13.5 Signal timing and processing 32
13.5.1 General 32
13.5.2 Signal-to-noise ratio 32
13.5.3 Signal maintenance (gain control) 33
13.5.4 Signal detection 33
13.5.5 Post-detection filtering 34
13.6 System self-checking 34
13.7 Site-specific data (or site parameters) 35
13.8 Clock and calendar 35
13.9 System performance criteria 35
13.9.1 General 35
13.9.2 Operating environment 36
13.9.3 Water environment 36
13.9.4 Mechanical environment 36
13.9.5 Extreme environmental conditions 36
13.9.6 Power source 36
13.9.7 Measurement uncertainty 36
13.10 System output 37
13.10.1 Local display 37
13.10.2 Local record 37
13.10.3 Remote record 37
13.10.4 Diagnostic information 37
13.11 Installation 37
13.12 Commissioning 38
13.13 Operating manual 38
13.14 Maintenance 39

14 Measurement uncertainties 40
14.1 General 40
14.2 Definition of uncertainty 40
14.3 Uncertainty in discharge 41
14.3.1 Uncertainty equation 41
14.3.2 Effective number of paths 42
14.3.3 Uncertainty in the line velocity, Ulv 42
14.3.4 Uncertainty in the channel width estimation, Uw 42
14.3.5 Examples of uncertainty estimation 43
14.3.6 Uncertainty estimate at low flow 44
14.3.7 Uncertainty estimate at high flow 45

Annex A (informative) Principle of measurement uncertainty 47

Annex B (informative) Performance guide for hydrometric equipment for use in technical standard examples **54**

Bibliography **58**