ISO 19040-3:2018 (E)

Water quality — Determination of the estrogenic potential of water and waste water — Part 3: In vitro human cell-based reporter gene assay

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 Interferences

5 Principle

6 Apparatus and materials

7 Reagents, cells and media

8 Sampling and samples

- 8.1 General
- 8.2 Bottles and material for sampling
- 8.3 Bottles and material pre-cleaning
- 8.4 Sampling procedure
- 8.5 Transport of samples
- 8.6 Pretreatment of sample
- 8.7 Storage of samples

9 Procedure

- 9.1 Cell culture maintenance
- 9.1.1 Freezing cells
- 9.1.2 Starting a new cell culture
- 9.1.3 Culturing cells
- 9.2 Human cell reporter gene assay test procedure
- 9.2.1 Seeding the cells (day 1)
- 9.2.2 Preparation of the E2-reference (day 2)
- 9.2.3 Preparation of the sample dilutions (day 2)
- 9.2.4 Field blank
- 9.2.5 Exposing the cells (day 2)
- 9.2.6 Harvesting the cells (day 3)
- 9.2.7 Measurement of luminescence (day 3)
- 9.3 Data analysis
- 9.3.1 Calculation of the reporter gene induction
- 9.3.2 Calculation of the percentage of maximum response
- 9.3.3 Calculation of the dose-response curve

10 Validity criteria

- 10.1 Validity criteria for the assay
- 10.2 Validity criteria for samples

11 Assessment criteria

12 Test report

Annex A (informative) Settings of the luminometer

Annex B (informative) Plate setup

Annex C (informative) Bioassay characteristics and details

Annex D (informative) Test set up for chemicals and extracts

- **D.1 General**
- **D.2 Extraction of water samples**
- **D.3 Test with organic solutions or extracts**
- **D.4 Data from literature**

Annex E (informative) Preparation of dilution series

Annex F (informative) Performance data

- **F.1 Design of the interlaboratory trial**
- **F.1.1 General**
- **F.1.2 Description of samples and participating laboratories**
- **F.1.3 Summary of 17β-estradiol equivalent concentrations (EEQ)**
- **F.1.4 Summary of lowest ineffective dilutions LID**
- **F.1.5 Trueness of results**

Annex G (informative) Statistical assessment

Annex H (informative) Calculation of 17β-estradiol equivalents

- **H.1 General**
- **H.2 Modelling of dose response relationship**
- **H.3 Calculation of 17β-estradiol equivalents for test samples**
- **H.4 Reporting of 17β-estradiol equivalents for test samples**

Annex I (informative) Measurement of the lowest ineffective dilution (LID) of waste water — A simplified evaluation for testing of waste water

- **I.1 General**
- **I.2 Principle**
- **I.3 Preparation of dilutions for LID assessment**
- **I.4 Test for LID**
- **I.5 Assessment of results — LID value. effluents**
- **I.6 Reporting of results**

Page count: 40