

# ISO 21253-1:2019-08 (E)

## Water quality - Multi-compound class methods - Part 1: Criteria for the identification of target compounds by gas and liquid chromatography and mass spectrometry

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	<b>Scope .....</b>	<b>1</b>
2	<b>Normative references .....</b>	<b>1</b>
3	<b>Terms and definitions .....</b>	<b>1</b>
4	<b>Abbreviated terms .....</b>	<b>2</b>
5	<b>Principle .....</b>	<b>3</b>
6	<b>Apparatus .....</b>	<b>3</b>
7	<b>Identification of target compounds .....</b>	<b>4</b>
7.1	<b>Procedure for identification of organic compounds with chromatography-mass spectrometry .....</b>	<b>4</b>
7.2	<b>Step 1: Chromatographic separation .....</b>	<b>5</b>
7.3	<b>Step 2: Mass spectrometric evaluation .....</b>	<b>6</b>
7.3.1	<b>Mass spectrometric detection .....</b>	<b>6</b>
7.3.2	<b>Selection of diagnostic ions .....</b>	<b>6</b>
7.3.3	<b>Assigning identification points .....</b>	<b>7</b>
7.4	<b>Step 3: Additional analytical confirmation evaluation .....</b>	<b>8</b>
7.5	<b>Reporting the presence of target compounds .....</b>	<b>9</b>
7.5.1	<b>Identification .....</b>	<b>9</b>
7.5.2	<b>Indication .....</b>	<b>9</b>
7.5.3	<b>Absence of the target compounds (&lt;detection limit) .....</b>	<b>9</b>
8	<b>Test report .....</b>	<b>9</b>
<b>Annex A (informative) Recommendations for the most commonly used techniques .....</b>		<b>10</b>
<b>Annex B (normative) Criteria for full scan measurement .....</b>		<b>12</b>
<b>Annex C (informative) Diagnostic ions to be used for identification using GC-MSn and LC-MSn .....</b>		<b>13</b>
<b>Annex D (informative) Examples of calculating identification points .....</b>		<b>14</b>
<b>Bibliography .....</b>		<b>21</b>