

Water quality - Radium 226 and Radium 228 - Test method using liquid scintillation counting

Contents	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and units	1
3.1 Terms and definitions	1
3.2 Symbols, definitions and units	2
4 Principle	3
5 Reagents and equipment	3
5.1 Reagents	3
5.2 Equipment	4
6 Sampling	5
7 Instrument set-up and calibration	5
7.1 Optimization of counting conditions	5
7.1.1 Preparation of sources	5
7.1.2 Optimization process	6
7.2 Counting efficiencies of ^{226}Ra and ^{228}Ra	6
7.2.1 Preparation of ^{226}Ra and ^{228}Ra standard sources	6
7.2.2 Determination of counting efficiencies	6
7.3 Blank sample measurement	7
8 Procedure	7
8.1 General	7
8.2 Separation of radium by precipitation	7
8.3 Purification of radium	8
8.4 Test sample preparation	8
8.5 Measurement	9
8.6 Chemical recovery	9
8.6.1 General	9
8.6.2 Preparation of a QC sample with known ^{226}Ra and ^{228}Ra activities	9
8.6.3 Determination of overall counting efficiencies	9
8.6.4 Determination of chemical recovery	9
9 Quality control	10
10 Expression of results	10
10.1 Calculation of massic activities of ^{226}Ra and ^{228}Ra at the sampling date	10
10.2 Standard uncertainty	10
10.3 Decision threshold	12
10.4 Detection limit	12
10.5 Confidence limits	12
11 Interference control	12
12 Test report	13
Annex A (informative) Flow chart of the procedure	14
Annex B (informative) Decay series relevant to radium isotopes	15
Annex C (informative) Set-up parameters and procedure	16
Annex D (informative) Validation data	22
Bibliography	28