ISO 31800:2020 (E)

Faecal sludge treatment units — Energy independent, prefabricated, community-scale, resource recovery units — Safety and performance requirements

Contents

Foreword

Introduction

1 Scope

2 Normative references

3 Terms and definitions

3.1 General
3.2 Input, energy balance, and resource recovery
3.3 Performance
3.4 Operability
3.5 Outputs
3.6 Abbreviated terms

4 General requirements

4.1 Industrial design and manufacture
4.2 Hazard and operability study and risk assessment
4.3 Ambient operation conditions
4.4 Expected technical lifetime
4.5 Treatment unit input
4.5.1 Input types
4.5.2 Specification of input parameters and ranges
4.6 Requirements for handling of faecal sludge as a fuel
4.6.1 Reception of faecal sludge
4.6.2 Storage of faecal sludge
4.6.3 Feeding system
4.6.4 Drying facilities

5 Energy balance and resource recovery

5.1 General
5.2 Energy balance
5.2.1 Energy independence
5.2.2 Energy positive
5.3 Resource recovery

6 Performance requirements

6.1 Technical process availability
6.1.1 Mean time between failure (MTBF)
6.1.2 Mean time to repair (MTTR)
6.1.3 Preventive maintenance time (Tpm)
6.2 Process reliability
6.2.1 Process stability
6.2.2 Start reliability and start time
6.2.3 Shut-off reliability and shut-off time

7 Safety and functional requirements

7.1 Applicability
7.2 Process control
7.2.1 General
7.2.2 Degree of automation

7.2.3 Intentional starting of operation
7.2.4 Intentional stopping of operation
7.2.5 Emergency stop
7.2.6 Continuous monitoring
7.2.7 Feedback of process failures
7.2.8 Safety-related functions of the control system
7.2.9 Input overload protection monitoring
7.2.10 Overpressure protection
7.2.11 Fire and overheating prevention
7.2.12 Explosion prevention
7.3 Process redundancy
7.4 Material fire resistance
7.5 Security of electrical energy supply
7.5.1 Safety and security
7.5.2 Security of external electrical energy supply
7.5.3 Security of internal electrical energy supply
7.6 Safety requirements for electrical energy supply
7.6.1 Separation and isolation
7.6.2 Electrical energy discharge
7.6.3 Overvoltage protection
7.7 Structures and supporting elements
7.7.1 Structural integrity
7.7.2 Integrity against external impacts
7.8 Sanitary requirements
7.8.1 Hygienic design
7.8.2 Materials
7.8.3 System tightness
7.8.4 Leakage protection
7.9 Mechanical requirements
7.9.1 Pressurized equipment
7.9.2 Pipes, hoses and fittings
7.9.2.1 Design and dimension
7.9.2.2 Positioning
7.9.3 Tanks and vessels
7.9.3.1 Flammable liquid tanks and vessels
7.9.4 Moving and rotating parts
7.9.5 Vibration
7.10 Radiation
7.10.1 High temperatures of parts and surfaces
7.10.2 Low temperatures of parts and surfaces
7.10.3 Electromagnetic compatibility
7.10.4 Other radiation emissions
7.11 Electronic and electrical components

8 Operability

8.1 Safe loading
8.2 Anthropometric design
8.2.1 General
8.2.2 Forces to be applied
8.2.3 Accesses and stairs
8.2.4 Aisles and platforms
8.3 Lighting
8.4 Operator system ergonomic design
8.5 Operator personal protection

9 Maintainability

9.1 Adjustability and maintainability
9.1.1 Identification of adjustment and maintenance needs
9.1.2 Ease of maintenance of devices, components and subassemblies
9.2 Access to adjustment, and maintenance points
9.3 Requirements for adjustment and maintenance activities
9.3.1 Discharge and cleaning, testability, adjustment, and maintenance on the running unit
9.3.2 Safe handling of electrical equipment
9.4 Spare parts

9.5 Tools and devices

10 Outputs

10.1 General
10.2 Solid
10.2.1 Pathogens and indicator organisms
10.2.2 Requirements for trace elements in solid outputs
10.2.3 Alternative requirements for solids for disposal
10.3 Effluent
10.3.1 Pathogens and indicator organisms
10.3.2 Environmental parameters
10.3.3 Requirements for trace elements in effluent outputs
10.4 Air emissions
10.5 Odour
10.6 Noise

11 Testing

11.1 General
11.2 Type tests
11.3 Performance testing
11.3.1 Test conditions
11.3.2 Test duration
11.4 Input characterisation and sampling
11.5 Solid and effluent
11.5.1 Pathogens and indicator organisms in solid outputs and effluent
11.5.2 Trace elements in solid outputs
11.5.3 Environmental parameters for effluent
11.5.4 Trace elements in effluent outputs
11.5.5 Sample planning
11.5.6 Measurement principles
11.5.7 Sampling location
11.5.8 Output sampling type and frequency
11.5.9 Sample size
11.5.10 Sampling method
11.5.11 Sample storage
11.6 Air emissions
11.6.1 Measurement planning
11.6.2 Measurement principles
11.6.3 Equipment specification
11.6.4 Equipment calibration
11.6.5 Sampling location
11.6.6 Normalizing of measured pollutants
11.6.7 Reference conditions
11.7 Odour
11.7.1 Test methods for odour output
11.7.2 Measurement planning
11.7.3 Measurement principles
11.7.4 Sampling location requirements
11.7.4.1 Point source emissions
11.7.4.2 Surface and fugitive emissions
11.7.5 Measurement process
11.7.5.1 Sampling train
11.7.5.2 Materials selection
11.7.6 Additional equipment considerations
11.7.7 Sample collection
11.7.7.1 Sample collection on non-ventilated, odour-emitting solid or liquid area sources, and fugitive emissions
11.7.7.2 Sample collection on a solid or liquid surface with very low discharge rates
11.7.7.3 Sample collection on point sources, odour-emitting stacks, ducts, vents and alike
11.7.8 Minimum requirements for reporting
11.7.8.1 Treatment unit information
11.7.8.2 Odour source information
11.7.8.3 Flow conditions
11.7.8.4 Odour measurement results

11.7.8.5 Quality assurance
11.7.9 Determination of the odour concentration in the laboratory
11.7.9.1 Selection of panellists
11.7.9.2 Dilution apparatus
11.7.9.3 Reference odourant
11.7.10 Dispersion modelling
11.7.10.1 Dispersion model
11.7.10.2 Lagrangian particle model
11.7.10.3 Computational grid
11.7.10.4 Physical and chemical data
11.7.10.5 Source data
11.7.10.6 Evaluation grid
11.7.11 Real measured values, treatment unit data and design data as input
11.7.11.1 Source data
11.7.11.2 Treatment unit data
11.7.11.3 Design data
11.7.11.3.1 Mean wind velocity
11.7.11.3.2 Surface roughness
11.8 Noise
11.8.1 Test methods
11.8.1.1 Noise output
11.8.2 Measurement planning
11.8.3 Requirements for the sampling location
11.8.4 Measurement methods and parameters
11.8.5 Measurement equipment
11.8.6 Calibration
11.8.7 Operation of treatment unit during test
11.8.8 Sound level meter setting
11.8.9 Microphone orientation
11.8.10 Correction for background noise and reflecting surfaces in test environment

12 Product literature

12.1 General
12.2 Input
12.3 Performance claims
12.4 Unit boundaries
12.5 Energy independence assessment
12.6 Environmental sustainability
12.6.1 Consumables
12.6.2 Greenhouse gas (GHG) emissions
12.6.3 Characteristics of resource recovered products
12.7 Maintenance and operator documentation
12.7.1 Language requirements
12.7.2 Provision of manual
12.7.3 Information to be provided
12.7.4 Recurring operation and maintenance
12.7.5 Complexity of configuration, adjustment, and maintenance activities
12.7.6 Labelling and marking

Annex A (informative) Input specification templates

A.1 Thermal processes
A.2 Biological processes
A.3 Trace elements

Annex B (informative) Sustainability

B.1 General
B.2 Estimated cost of use calculations
B.2.1 General
B.2.2 CAPEX
B.2.3 Recurring costs
B.3 Financing
B.3.1 General
B.3.2 Financing in the context of the sanitation value chain
B.4 Suitability
B.5 Planning, stakeholder participation and integration of the treatment unit
B.6 Environmental compliance monitoring and enforcement
B.7 Acceptance and affordability