

# ISO 13166:2020 (E)

## Water quality — Uranium isotopes — Test method using alpha-spectrometry

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions and symbols
4	Principle
5	Chemical reagents and equipment
5.1	General
5.2	Chemical reagents
5.3	Equipment
6	Sampling and samples
6.1	Sampling
6.2	Sample storage
7	Separation and measurement
7.1	Chemical steps
7.2	Measurement
7.2.1	Quality control
7.2.2	Chemical yield
7.2.3	Background
8	Expression of results
8.1	Spectrum analysis
8.2	Calculation of activity concentration
8.3	Standard uncertainty
8.4	Decision threshold
8.5	Detection limit
8.6	Limits of the coverage interval
8.6.1	Limits of the probabilistically symmetric coverage interval
8.6.2	The shortest coverage interval
9	Test report
Annex A	(informative) Chemical separation of uranium
A.1	Sample preparation
A.2	Uranium separation and purification examples
A.2.1	Reagents
A.2.2	Equipment
A.2.3	Tracer addition
A.2.4	Concentration step
A.2.5	Separation and purification
A.2.5.1	Anion exchange option
A.2.5.2	Extraction chromatography option
A.2.5.3	Information about the source preparation technique choice
Annex B	(informative) Precipitation of the source by electrodeposition
B.1	Principle

- B.2 Reagents**
- B.3 Equipment**
- B.4 Procedure**
- B.4.1 General**
- B.4.2 Assembly of the electrodeposition cell**
- B.4.3 Electrodeposition**

**Annex C (informative) Preparation of the source by coprecipitation**

- C.1 Principle**
- C.2 Reagents**
- C.3 Equipment**
- C.4 Procedure**

**Annex D (informative) Occurrence of uranium isotopes**

**Page count: 19**