ISO 5667-10:2020 (E)

Water quality — Sampling — Part 10: Guidance on sampling of waste water

Contents

Foreword

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 General aspects
 - 4.1 Design of sampling programme
 - 4.2 Sampling point selection Representativeness
 - 4.3 Frequency and time of sampling
 - 4.3.1 Number of samples
 - 4.3.2 Sampling time for effluent stream
- 5 Sampling at specific locations
 - 5.1 Sampling from sewers, channels and manholes
 - 5.2 Sampling from waste water treatments plants
 - 5.3 Sampling from industrial sites
 - 5.4 Sampling from cooling systems
- 6 Main types of waste water sampling
 - 6.1 Spot sampling
 - 6.2 Composite sampling
- 7 Waste water sampling
 - 7.1 General aspects
 - 7.1.1 Preparation of the sampling campaign
 - 7.1.2 Arrival on site
 - 7.2 Composite sampling for waste water quality monitoring
 - 7.2.1 General
 - 7.2.2 Automatic composite sampling
 - 7.2.2.1 General recommendations on use of an automatic sampler
 - 7.2.2.2 Automatic composite sampling, flow proportional sampling (C.V.V.T and C.T.V.V)
 - 7.2.2.3 Automatic composite sampling, time proportional sampling and reconstituted average sample in relation to flow
 - 7.2.2.4 Automatic composite sampling, time proportional sampling (CTCV)
 - 7.2.2.5 Validation of the representativeness of composite sampling
 - 7.2.3 Manual composite sampling
 - 7.2.4 Manual sample reconstitution
 - 7.3 Spot sampling in an effluent stream
 - 7.3.1 General
 - 7.3.2 Direct sampling
 - 7.3.2.1 General
 - 7.3.2.2 Directly into the laboratory bottles
 - 7.3.3 Indirect sampling
 - 7.3.3.1 From a sewer
 - 7.3.3.2 From the edge of an open-air structure
 - 7.3.4 Automatic, remote start or event-triggered sampling
 - 7.4 Spot sampling of tanks planned discharges
 - Sampling equipment
 - 8.1 General

8

8.2 Automatic sampler

- 8.3 Manual sampling equipment
- 8.3.1 General
- 8.3.2 Ballasted sample collector
- 8.3.3 Bucket, vertical water sampler
- 8.4 Tank sampling equipment
- 8.4.1 Mixing
- 8.4.2 Sampling equipment
- 9 Homogenization, preservation, transport and storage of samples
 - 9.1 Homogenization of collected volume
 - 9.2 Distribution of collected volume into laboratory bottles
 - 9.3 Preservation and packaging of samples
 - 9.4 Transportation and reception
 - 9.4.1 General
 - 9.4.2 Time
 - 9.4.3 Temperature
 - 9.5 Security and traceability of samples during storage and delivery
 - 9.5.1 Routine samples
 - 9.5.2 Samples which might be used for legal purposes
- 10 Quality assurance
 - 10.1 Avoidance of contamination
 - 10.2 Sample identification and records
 - 10.3 Assurance and quality control

11 Reports

- 11.1 Analytical reports
- 11.2 Sampling protocols
- 12 Safety precautions
 - 12.1 General
 - 12.2 Personnel safety
 - 12.3 Equipment safety
- Annex A (informative) Examples of sampling from tanks
- Annex B (informative) Advantages and disadvantages of main types of waste water sampling
- Annex C (informative) Example of cleaning protocol Sampling equipment
 - C.1 General
 - C.2 Conditions of realisation
 - C.3 Methodology
- Annex D (informative) Example of field form Waste water sampling
- Annex E (informative) Choice of compatible materials for automatic samplers
 - E.1 Parameters Macro-pollutants
 - E.2 Micropollutants (e.g. priority hazardous substances, priority substances, emerging substances)
 - E.3 Synthesis of materials
- Annex F (informative) Comparison of types of pumping: peristaltic pump (PP) and vacuum pump (VAP)
- Annex G (informative) Type of distribution of collected volume into laboratory bottle
- Annex H (informative) Quality control of sampling equipment
 - H.1 General
 - H.2 Quality Control for composite automatic sampling
- Annex I (informative) Bias and repeatability

Page count: 45