DIN EN ISO 10703:2022-11 (E)

Water quality - Gamma-ray emitting radionuclides - Test method using high resolution gamma-ray spectrometry (ISO 10703:2021)

Contents

Page

European foreword ... **4**

Foreword ... **5**

Introduction ... **6**

1 Scope ... **8**

2 Normative references ... **8**

3 Terms and definitions ... **9**

4 Symbols ... **10**

5 Principle ... **11**

6 Reference sources ... **11**
6.1 Source(s) for energy calibration ... 11
6.2 Reference source(s) for efficiency calibration ... 12
6.2.1 General ... 12
6.2.2 Reference sources for laboratory systems ... 12
6.2.3 Reference sources used with numerical methods ... 12

7 Reagents ... **12**

8 Gamma-ray spectrometry equipment ... **13**
8.1 General description ... 13
8.2 Detector types ... 13
8.3 High voltage power supply ... 14
8.4 Preamplifier ... 14
8.5 Cryostat or electric cooler ... 14
8.6 Shielding ... 14
8.7 Analogue or digital acquisition electronics ... 14
8.7.1 General ... 14
8.7.2 Analogue electronic (ADC) ... 15
8.7.3 Digital electronic (DSP) ... 15
8.8 Computer, including peripherical devices and software ... 15

9 Nuclear decay data ... **16**

10 Sampling ... **16**

11 Procedure ... **16**
11.1 Sample preparation ... 16
11.1.1 General ... 16
11.1.2 Direct measurement without preparation ... 17
11.1.3 Evaporation without iodine retention ... 17
11.1.4 Evaporation with iodine retention ... 17
11.2 Calibration ... 17
11.2.1 General ... 17
11.2.2 Energy calibration ... 17
11.2.3 Efficiency calibration ... 18

12 Expression of results ... **19**
12.1 Calculation of the activity concentration ... 19
12.1.1 General ... 19
12.1.2 Dead time and pile up corrections (see ISO 20042) ... 20
12.1.3 Decay corrections ... 20
12.1.4 True coincidence summing ... 20

12.2 Standard uncertainty 22
12.3 Decision threshold 22
12.4 Detection limit 23
12.5 Limits of the coverage intervals 23
12.5.1 Limits of the probabilistically symmetric coverage interval 23
12.5.2 The shortest coverage interval 24
12.6 Corrections for contributions from other radionuclides and background 24
12.6.1 General 24
12.6.2 Contribution from other radionuclides 25
12.6.3 Contribution from background 26

13 Test report 26

Annex A (informative) **Example of a carrier solution which can be added to the water sample when waste water from a nuclear power plant is investigated 28**

Annex B (informative) **True coincidence summing 29**

Annex C (informative) **Calculation of the activity concentration from a gamma spectrum using a linear background subtraction (undisturbed peak) 31**

Bibliography 33