

DIN 1989-100:2022-07 (E)

Rainwater harvesting systems - Part 100: Regulations in connection with DIN EN 16941-1

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | 5 |
| 1 | Scope | 7 |
| 2 | Normative references | 7 |
| 3 | Terms and definitions..... | 9 |
| 4 | Planning principles for installation design..... | 10 |
| 4.1 | Consumption values | 10 |
| 4.2 | Infiltration | 11 |
| 5 | Cleaning mechanisms | 11 |
| 6 | Filters | 12 |
| 6.1 | Requirements | 12 |
| 6.1.1 | General | 12 |
| 6.1.2 | Materials | 12 |
| 6.1.3 | Filter types..... | 13 |
| 6.1.4 | Hydraulic requirements..... | 15 |
| 6.1.5 | Filter separation efficiency | 16 |
| 6.1.6 | Leaktightness | 16 |
| 6.1.7 | Stability..... | 16 |
| 6.2 | Testing | 16 |
| 6.2.1 | General | 16 |
| 6.2.2 | Materials, dimensions, filter elements and filter inserts | 17 |
| 6.2.3 | Design and installation location..... | 17 |
| 6.2.4 | Checking compliance with hydraulic requirements | 17 |
| 6.2.5 | Test of the filter separation efficiency..... | 21 |
| 6.3 | Marking | 24 |
| 6.4 | Installation, operation and maintenance of filters..... | 24 |
| 7 | Rainwater storage tanks..... | 25 |
| 7.1 | Dimensions and tolerances..... | 25 |
| 7.1.1 | Tanks..... | 25 |
| 7.1.2 | Inspection openings | 25 |
| 7.1.3 | Manholes and access openings | 26 |
| 7.1.4 | Storage tank characteristics | 27 |
| 7.1.5 | Built-in components..... | 28 |
| 7.1.6 | Tank connections | 28 |
| 7.2 | Installation and assembly..... | 28 |
| 7.2.1 | Access openings and manholes..... | 28 |
| 7.2.2 | Manhole covers | 28 |
| 7.2.3 | Watertightness..... | 29 |
| 7.2.4 | Stability..... | 29 |
| 7.2.5 | Design..... | 32 |
| 7.2.6 | Protection against backwater | 32 |
| 7.3 | Testing | 33 |
| 7.3.1 | Dimensions..... | 33 |
| 7.3.2 | Watertightness..... | 34 |
| 7.3.3 | Stability..... | 34 |

| | | |
|---------------------|--|-----------|
| 8 | Rainwater system controls..... | 35 |
| 8.1 | Construction principles..... | 35 |
| 8.1.1 | General requirements..... | 35 |
| 8.1.2 | Electrical protection class | 35 |
| 8.1.3 | Operating condition limits | 35 |
| 8.2 | Minimum requirements for rainwater system controls..... | 35 |
| 8.3 | Noise level..... | 36 |
| 8.4 | Testing | 36 |
| 8.4.1 | General..... | 36 |
| 8.4.2 | Electrical safety | 37 |
| 8.4.3 | Leakage rate of the backflow preventer of the backflow protection..... | 37 |
| 8.4.4 | Simplified method of measuring the noise level | 37 |
| 9 | Identification plate | 39 |
| Annex A | (informative) Example of a calculation form for determining rainwater yield, operating demand and usable capacity of rainwater storage tanks..... | 40 |
| Annex B | (informative) Examples of determining the separation efficiency of a filter | 41 |
| B.1 | General..... | 41 |
| B.2 | Example of determining the separation efficiency of type A filters | 41 |
| B.3 | Example of determining the separation efficiency of type B filters | 42 |
| B.4 | Examples of determining the separation efficiency of type C filters | 43 |
| B.5 | Extreme examples..... | 44 |
| Annex C | (informative) Example of a test report for filters | 46 |
| Annex D | (informative) Examples of common system types in Germany and their integration into building services engineering..... | 48 |
| Bibliography | | 51 |

Figures

| | | |
|-------------------|---|-----------|
| Figure 1 | — Principle of type A filters, schematic..... | 14 |
| Figure 2 | — Principle of type B filters, schematic..... | 15 |
| Figure 3 | — Principle of type C filters, schematic | 15 |
| Figure 4 | — Test assembly..... | 18 |
| Figure 5 | — Tank dimensions..... | 25 |
| Figure 6 | — Manhole — inspection chamber combination | 26 |
| Figure 7 | — Example of an inspection chamber with manhole height ≤ 450 mm | 27 |
| Figure 8 | — Example of an inspection chamber with manhole height > 450 mm | 27 |
| Figure 9 | — Rainwater storage tank with double anti-flooding device and connection to combined sewage system | 33 |
| Figure 10 | — Test set-up for measuring the sound pressure level | 38 |
| Figure B.1 | — Test arrangement for determining the separation efficiency of type A filters | 41 |
| Figure B.2 | — Test arrangement for determining the separation efficiency of type B filters | 42 |
| Figure B.3 | — Test arrangement for determining the separation efficiency of type C filters..... | 43 |
| Figure C.1 | — Representation of hydraulic efficiency | 47 |
| Figure D.1 | — Rainwater harvesting system with buried tank and infiltration system..... | 48 |

| | |
|--|----|
| Figure D.2 — Rainwater harvesting system with tank in basement | 49 |
| Figure D.3 — Rainwater harvesting system with buried tank and hybrid tank, e.g. for trade and industry | 50 |

Tables

| | |
|---|----|
| Table 1 — Determining the annual non-potable water demand..... | 11 |
| Table 2 — Filter types | 13 |
| Table 3 — Test times for volume flows..... | 20 |
| Table 4 — Test substance per 1 000 litre test medium | 22 |
| Table 5 — Silica sand additive..... | 22 |
| Table 6 — Tolerances | 25 |
| Table 7 — Action classes for underground rainwater storage tanks under traffic areas (characteristic sizes) | 31 |
| Table 8 — Methods of testing water tightness | 34 |
| Table 9 — Minimum requirements for rainwater system controls..... | 36 |
| Table 10 — Maximum permissible leakage rate of the backflow preventer of the backflow protection..... | 37 |