

# ISO 23256:2023-06 (E)

## Water quality - Detection of selected congeners of polychlorinated dibenzo-p-dioxins and polychlorinated biphenyls - Method using a flow immunosensor technique

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
1	Scope .....	1
2	Normative references .....	1
3	Terms, definitions, and abbreviated terms .....	1
3.1	Terms and definitions .....	1
3.2	Abbreviated terms .....	3
4	Principle .....	4
4.1	Flow immunosensor .....	4
4.2	Specific antibody .....	5
5	Interferences .....	5
6	Reagents .....	5
7	Apparatus and materials .....	7
8	Sampling .....	8
8.1	General .....	8
8.1.1	General .....	8
8.1.2	Bottles and material for sampling .....	8
8.1.3	Bottles and material pre-cleaning .....	8
8.1.4	Sampling .....	8
8.2	Preparation of sample .....	8
8.2.1	Extraction .....	8
8.2.2	Clean-up .....	9
8.2.3	Sample solutions .....	9
9	Procedure .....	9
9.1	General .....	9
9.2	Sample set up .....	9
9.3	Measuring procedure .....	10
10	Data processing .....	11
10.1	Measurement data .....	11
10.2	Calibration curve .....	11
10.3	Calculation of measured concentration .....	12
11	Validation .....	13
11.1	General .....	13
11.2	Accuracy profile .....	13
11.3	Range of quantitation .....	14
11.4	Limit of detection .....	15
11.5	Evaluation of data .....	15
11.6	Quality control .....	15

12	Test report .....	16
Annex A (informative)	Specificity of mouse monoclonal antibodies used for the flow immunosensor .....	17
Annex B (informative)	Example of the automate sample clean-up and concentration device .....	18
Annex C (informative)	Example of the flow immunosensor .....	20
Annex D (informative)	Recoveries, calibration curves, ranges of quantitation of the standard analytes 2,3,7,8-TCDD and 3,3',4,4',5-PeCB in drinking water .....	26
Annex E (informative)	Measurement of 2,3,7,8-TCDD and 3,3',4,4',5-PeCB in river waters .....	30
Annex F (informative)	Interlaboratory trial of the measurement of 2,3,7,8-TCDD and 3,3',4,4',5-PeCB in water samples by the use of flow immunosensor method .....	33
Bibliography .....		36