

ISO 4722-1:2023-10 (E)

Water quality - Thorium 232 - Part 1: Test method using alpha spectrometry

| Contents | | Page |
|------------------------------|---|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms, definitions and symbols | 1 |
| | 3.1 Terms and definitions | 1 |
| | 3.2 Symbols | 2 |
| 4 | Principle | 3 |
| 5 | Chemical reagents and equipment | 3 |
| | 5.1 General | 3 |
| | 5.2 Chemical reagents | 4 |
| | 5.3 Equipment | 4 |
| 6 | Sampling, handling and storage | 4 |
| | 6.1 Sampling | 4 |
| | 6.2 Sample storage | 5 |
| 7 | Separation and measurement | 5 |
| | 7.1 Chemical steps | 5 |
| | 7.2 Measurement | 5 |
| | 7.2.1 Quality control | 5 |
| | 7.2.2 Chemical recovery | 5 |
| | 7.2.3 Background | 5 |
| 8 | Expression of results | 6 |
| | 8.1 Spectrum analysis | 6 |
| | 8.2 Calculation of activity concentration | 6 |
| | 8.3 Standard uncertainty | 6 |
| | 8.4 Decision threshold | 7 |
| | 8.5 Detection limit | 7 |
| 9 | Limits of coverage intervals | 7 |
| | 9.1 Limits of the probabilistically symmetric coverage interval | 7 |
| | 9.2 Limits of the shortest coverage interval | 8 |
| 10 | Test report | 8 |
| Annex A (informative) | Chemical separation of thorium | 10 |
| Annex B (informative) | Preparation of the source by electrodeposition | 13 |
| Annex C (informative) | Preparation of the source by coprecipitation | 16 |
| Bibliography | | 18 |