

ISO 4722-2:2024-12 (E)

Water quality - Thorium 232 - Part 2: Test method using ICP-MS

Contents		Page
Foreword.....		iv
Introduction.....		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Symbols		2
5 Principle		3
6 Sampling and sample storage		5
7 Chemical reagents and apparatus		5
7.1 General.....		5
7.2 Chemical reagents.....		5
7.3 Apparatus.....		5
8 Separation		6
9 Quality control		6
9.1 General.....		6
9.2 Variables that can influence the measurement.....		6
9.3 Instrument verification.....		6
9.4 Method verification.....		7
10 Expression of results		7
10.1 Data analysis.....		7
10.2 Background.....		8
10.3 Internal standard.....		8
10.4 Expression of results using ^{229}Th or ^{230}Th as a recovery tracer by ICP-MS.....		8
10.4.1 Calculation of activity of tracer and mass of analyte.....		8
10.4.2 Measurement bias.....		9
10.4.3 Sample mass concentration.....		9
10.5 Expression of results using ^{229}Th or ^{230}Th as a recovery tracer.....		9
10.5.1 Calculation of activity of tracer and mass of analyte.....		9
10.5.2 Chemical recovery.....		10
10.5.3 Measurement bias.....		10
10.5.4 Sample mass concentration of the analyte.....		11
10.6 Limit of detection.....		11
10.7 Limit of quantification.....		11
10.8 Correcting for ^{232}Th contamination in the tracer.....		11
10.9 Conversion of mass concentration to mass activity.....		12
10.10 Conversion from mass to volume units.....		12
11 Test report		12
Annex A (informative) Chemical separation of thorium		14
Bibliography		17