

DIN EN ISO 11350:2026-01 (E)

Water quality - Determination of the genotoxicity of water and waste water - Salmonella/microsome fluctuation test (Ames fluctuation test) (ISO 11350:2012)

| Contents | | Page |
|--|--|-------------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Interferences | 3 |
| 5 | Principle | 4 |
| 6 | Apparatus and materials | 4 |
| 7 | Reagents, media and dilutions | 5 |
| 8 | Sampling and samples | 9 |
| 9 | Procedure | 9 |
| 9.1 | Overnight culture | 9 |
| 9.2 | Preparation of S9 mix | 10 |
| 9.3 | Testing of water samples | 10 |
| 9.4 | Measurement of revertant growth | 13 |
| 9.5 | Calculation of cytotoxicity | 13 |
| 10 | Validity criteria | 14 |
| 11 | Assessment criteria | 14 |
| 12 | Test report | 14 |
| Annex A (normative) Nutrient broth and agar | | 15 |
| Annex B (normative) Preparation of ampicillin agar plates and stock cultures | | 16 |
| Annex C (normative) Checking of genotype | | 17 |
| Annex D (normative) S9 fraction | | 18 |
| Annex E (informative) Example for application of samples on a 24 well plate | | 19 |
| Annex F (informative) Example for reporting | | 21 |
| Annex G (informative) Testing of chemicals | | 22 |
| Annex H (informative) Precision data | | 25 |
| Annex I (informative) Statistical assessment | | 27 |
| Annex J (informative) Measurement of the lowest ineffective dilution (LID) of a waste water -- A simplified evaluation for testing of waste water | | 33 |

| | |
|---|-----------|
| Annex K (informative) Use of additional tester strains | 35 |
| Bibliography | 36 |