

DIN EN ISO 11350:2026-01 (E)

Water quality - Determination of the genotoxicity of water and waste water - Salmonella/microsome fluctuation test (Ames fluctuation test) (ISO 11350:2012)

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Interferences	3
5	Principle	4
6	Apparatus and materials	4
7	Reagents, media and dilutions	5
8	Sampling and samples	9
9	Procedure	9
9.1	Overnight culture	9
9.2	Preparation of S9 mix	10
9.3	Testing of water samples	10
9.4	Measurement of revertant growth	13
9.5	Calculation of cytotoxicity	13
10	Validity criteria	14
11	Assessment criteria	14
12	Test report	14
Annex A (normative) Nutrient broth and agar		15
Annex B (normative) Preparation of ampicillin agar plates and stock cultures		16
Annex C (normative) Checking of genotype		17
Annex D (normative) S9 fraction		18
Annex E (informative) Example for application of samples on a 24 well plate		19
Annex F (informative) Example for reporting		21
Annex G (informative) Testing of chemicals		22
Annex H (informative) Precision data		25
Annex I (informative) Statistical assessment		27
Annex J (informative) Measurement of the lowest ineffective dilution (LID) of a waste water -- A simplified evaluation for testing of waste water		33

Annex K (informative) Use of additional tester strains	35
Bibliography	36