

# ISO 13165-4:2025-08 (E)

## Water quality - Radium-226 - Part 4: Test method using alpha spectrometry

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	2
4	Symbols .....	2
5	Principle .....	4
6	Sampling, handling and storage .....	5
7	Procedure .....	6
8	Quality assurance and quality control program .....	6
8.1	General .....	6
8.2	Instrument verification .....	6
8.3	Contamination .....	6
8.4	Interference control .....	6
8.5	Alpha resolution .....	7
8.6	Method verification .....	7
8.7	Demonstration of analyst capability .....	7
9	Expression of results .....	7
9.1	General .....	7
9.2	Tracer activity added .....	7
9.3	Count rate and net count rate .....	7
9.4	Total recovery .....	8
9.5	Activity concentration of <sup>226</sup> Ra .....	9
9.6	Combined uncertainties .....	9
9.7	Decision threshold .....	9
9.8	Detection limit .....	10
9.9	Probabilistically symmetric coverage interval .....	10
9.9.1	Limits of the probabilistically symmetric coverage interval .....	10
9.9.2	Shortest coverage interval .....	11
10	Test report .....	11
Annex A (informative) Radioactive interferences and an example of alpha spectrum .....		13
Annex B (informative) Preparation of thin alpha source by electrodeposition .....		14
Annex C (informative) Preparation of thin alpha source by barium sulfate micro-precipitation .....		17
Annex D (informative) Method 1: Radium separation using a solid phase extraction disc .....		19
Annex E (informative) Method 2: Radium pre-concentration, separation with a MnO <sub>2</sub> resin and removal of potential radioactive interferences using an extraction chromatography resin		21

<b>Annex F (informative) Method 3: Preconcentration of radium using CaCO<sub>3</sub>, separation of Ra from potential interferences using a cation exchange resin and extraction chromatography resin .....</b>	<b>24</b>
<b>Annex G (informative) Method 4: Preconcentration of Ra using a lead sulfate coprecipitation and separation of Ra from potential interferences using a complexing agent .....</b>	<b>27</b>
<b>Bibliography .....</b>	<b>30</b>